WHERE THE ACTION IS!

COME TO WHERE THE **ACTION** IS!!

BOBBIN SHOW '86 BOOTH 1600

THIS CATALOG SUPPLEMENT IS PRINTED YEARLY AND REPRESENTS ONLY OUR NEWER LABOR-SAVING DEVICES. FOR A COMPLETE CATALOG OF ALL OUR ATTACHMENTS AND FOLDERS, PLEASE COMPLETE THE ENCLOSED CARD AND MAIL IT TO US.

Atlanta Attachment Company is a diversified manufacturing concern established in 1969 with headquarters in Lawrenceville, Georgia. Our modern 25,000 square foot facility houses services from design and construction of specialized automation equipment to a complete Contract Machining Center which includes CNC Mills and Lathes, Heat Treating, Black Oxide and Gold Chromate Finishing. We also offer a Fabrication Center with Sheet Metal Shearing, Bending, Punching and Custom Hand Forming Capabilities. CALL US FOR ALL YOUR SPECIAL NEEDS.

ATLANTA ATTACHMENT COMPANY

"SUDDEN SERVICE" is not just a motto, it's our way of doing business.

401 Industrial Park Drive · Lawrenceville, Georgia 30245
Telephone (404) 963-7369 · Telex 261-374 AAC

Elvin C. Price
President

Charles R. Baird
Vice President, Sales

"Sudden Service"

Our policy means we will process your order for folders through our shop in 5 to 7 working days from receipt of samples. If, for some reason, shipment cannot be made within this time, you will be notified of the delay. A 12 working day period applies to special gage parts and automated equipment.

Howard A. Hodgins
Marketing Manager

Jackie Wyrick
Sales



Don Whidby
Sales



William Harris
Plant Manager

Larry G. Price
Assistant Plant Manager

MODEL 350-12

DESCRIPTION: An electro-pneumatic clean finish elastic waistband station consisting of a multi-needle sewing machine*, motor*, stand, spiral elastic guide (350-12), three blade rotary knife (for cut apart) and variable speed conveyor.

**provided by customer*

OPERATION: Present the flat garment to the edge guide and into the spiral folder – press the air foot pedal to start sew – hold garment to edge guide until completely into folder – pick up next piece and repeat – the conveyor will carry pieces to knife for cut apart and then to disposal area.

MACHINE CLASS: All industrial multi-needle chainstitch machines. (Special gauge parts available.)

AIR REQUIRED: .50 SCFM at 50 PSI

OPTIONS: Components may be purchased separately
(A) Spiral elastic guide and folder
(B) Metering device
(C) Three Blade Knife (Cut-Apart)
(D) Conveyor STD length 40" (60" available)
(E) **Thread break detectors
(F) **Elastic detectors

***For automatic shut off in case of thread break or elastic run out.*

OTHER MODELS:
350-14 Down turn hem open elastic (conveyor)
1278-4 Clean finish circular elastic band
1278-3 Topstitch serged circular elastic band
425-14 Spot elastic waistband attachment

TIGHTEN UP

YOUR CLEAN FINISH ELASTIC WAISTBANDS

Our Unique Spiral Guiding Device completely deskills the difficult tunnel elastic operation.

The operator merely feeds the flat garment along an edge guide to sew a tight clean finish waistband.



CLEAN FINISH

MODEL 350-12

- IMPROVES QUALITY
- INCREASES PRODUCTION
- REDUCES ELASTIC WASTE
- EASY OPERATION
- HANDLES DIFFICULT FABRIC
- AUTOMATIC CUT-APART
- MINIMIZES TRAINING

VIDEO TAPE AVAILABLE UPON REQUEST

*Call The **SUDDEN SERVICE** Company for more information and all your folder and attachment needs.*

ATLANTA ATTACHMENT COMPANY

401 INDUSTRIAL PARK DRIVE · LAWRENCEVILLE, GA. 30245 · (404) 963-7369 – TELEX 261-374 AAC

SPOT ELASTIC ATTACHMENT
MODEL 425-14

DESCRIPTION	An air operated device, consisting of upper & lower folders, a feed, & cut, & tension mechanism, automatic food lift and control package, designed to insert elastic between two piece waistband or a top downturn hem & a bottom strip to form a stretch band of varying length or a number of spot insertions.
OPERATION:	Operator heels treadle to lift presser foot—presents garment under foot and sews to predetermined point (notch, mark, pocket hem, etc.) pressing the knee switch activates the feed and momentarily lifts the presser foot for elastic insertion—as sew begins the elastic is automatically metered—sew continues until near the point where gathering is to end (approximately 2 inches)—pressing the toe switch cuts the elastic—continuation of sew draws the elastic from the metering device as the flat band is completed.
SPECIFICATION:	3" spot to full elastic band 2" wide elastic maximum includes folders to suit material
AIR CONSUMPTION:	.25 SCFM at 60 PSI
MACHINE CLASS:	All industrial multi-needle machines
OTHER MODELS:	1278-4 clean finish circular elastic band 1278-3 topstitch serged circular elastic band 350-12 clean finish spiral elastic (conveyor) 350-14 downturn hem open elastic (conveyor)

ELASTIC WAISTBANDS GOT YOU

ON THE SPOT?

MODEL 425-14
MAKES SIDE SPOT & HALF ELASTIC WAISTBANDS EASY & PROFITABLE

- ELIMINATE ELASTIC HANDLING
- INSERT & METER AUTOMATICALLY
- CUT & REINSERT ON COMMAND
- 3″ SPOT TO FULL BACK CAPABILITY
- ADAPTABLE TO MOST MACHINES
- TOTALLY PNEUMATIC CONTROLS
- ELASTIC WIDTHS UP TO 2 INCHES





VIDEO TAPE AVAILABLE UPON REQUEST

Call The ***SUDDEN SERVICE*** *Company for more information and all your folder and attachment needs.*

ATLANTA ATTACHMENT COMPANY

401 INDUSTRIAL PARK DRIVE · LAWRENCEVILLE, GA. 30245 · (404) 963-7369 – TELEX 261-374 AAC

MODEL 1278-4
CIRCULAR CLEAN FINISH WAISTBAND STATION

DESCRIPTION: An electro-pnuematic device consisting of expansion roller guides, two postion folder, power feed package, and air control package designed to sew pre closed elastic loop inside a closed garment to produce a clean finish circular elastic waistband.

OPERATION: The presewn elastic loop is inserted inside the closed circular garment to a depth equal to the width of the elastic plus ⅜ to ½ for fold under. The operator touches the air foot switch to collapse the guide rollers, heels sew treadle to lift presser foot. The garment is inserted over the rear roller—under the foot and over the front roller—depress the air foot pedal to expand the roller. A touch of the knee switch shifts the clean finish folder to the right and the operator tucks the fold under material with the fingers of the right hand. A touch of the toe switch draws the garment through the folder 5 to 7 inches to assure a clean fold. The garment is sewn to the point where stitching began—A press of the knee switch opens the folder and allows sew over of the starting stitches. Heeling the treadle actuates the undertrimmer & foot lift*. A touch of the air foot pedal collapses the rollers for unloading.

*Machines without undertrimmer will have foot lift & position only—Optional thread chopper available

AIR REQUIRED: .05 SCFM at 60 PSI

MACHINE CLASS: Most industrial multi-needle machines

OPTIONS: Thread chopper—Needle positioner
'—close coupled puller—foot lift.

OTHER MODELS: 350-12 Clean finish spiral elastic (conveyor)
350-14 Downturn hem open elastic (conveyor)
425-14 Spot elastic devise
1278-3 Topstitch serged circular elastic

Don't Sweat It!!

Circular, clean finish elastic bands are easy. . . with our model 1278-4.

Electro-pneumatic attachment for sewing pre-closed elastic loops to circular garments with power feed to start the clean finish fold

1278-4



- **SIMPLE CONTROLS**
- **LOW MAINTENANCE**
- **EASE OF OPERATION**
- **ELIMINATE BULKY SEAT SEAM**
- **ADAPTS TO EXISTING MACHINE**
- **REDUCES OPERATOR FATIGUE**
- **REDUCES SKILL FACTOR**
- **REDUCES TRAINING**

VIDEO TAPE AVAILABLE UPON REQUEST



Clean Finish Hem



Open Elastic Hem



Single-Turn Hem with Serged or Binding Edge



Garment with Pre-Closed Inner Band

Call The SUDDEN SERVICE Company for more information and all your folder and attachment needs.

ATLANTA ATTACHMENT COMPANY

401 Industrial Park Drive • Lawrenceville, Georgia 30245 • 404-963-7369 • Telex 261-374 AAC

ATLANTA ATTACHMENT COMPANY

THE "SUDDEN SERVICE" COMPANY

Don't let plunging necklines result in plunging profits

V-NECKS, ROUND COLLARS, BOTTOM BANDS, CUFFS, ETC., CAN BE ATTACHED WITH THE AP-22 VARIABLE SPEED METERING DEVICE FROM ATLANTA ATTACHMENT COMPANY.

Our Attachment dispenses collar, cuff or bottom band tape to an overlock machine from a roll with the desired tension, or without any tension at all.

- "V" neck shirts with both shoulders closed, label and collar set in one operation.
- Sweetheart collars with both shoulders closed, label and collar set in one operation.
- Round collar shirts with one shoulder open, label and collar set in one operation.
- Adjustable Folder accepts rolls cut 2"–10" Eliminates waste (cut too narrow, cut too wide).
- Cuff-collar measurements consistant.
- Swings out for machine threading and maintenance.
- Installs in 45 minutes on any overlock.
- Training time reduced.
- Improves quality of garment.
- Low purchase price–Quick pay-back.
- CONTACT US TODAY FOR A DEMONSTRATION IN OUR SHOWROOM USING YOUR MATERIAL.

VIDEO TAPE AVAILABLE UPON REQUEST

THE "SUDDEN SERVICE" COMPANY

ATLANTA ATTACHMENT CO.
401 Industrial Park Drive
Lawrenceville, Georgia 30245
(404) 963-7369
Telex 261-374 AAC

Knit Shirt Manufacturers

You're Losing Sales and Wasting Money If You're Not Using Our Collar Setting and Taping System!

With our System, the seam on a placket-front shirt with full fashion collar is automatically taped as the collar is set, adding no additional cost to this operation.

Fits all overlock machines universally.

Special presser foot* with roller is available for all overlocks to insure positive start of taping.

Our System improves the merchandising of your shirts and adds that finished look.

Contact us today for more information on our No. 273-4 Collar Setting and Taping System, or make an appointment for a demonstration on your shirts in our Lawrenceville show room.

*PATENT PENDING



VIDEO TAPE AVAILABLE UPON REQUEST

ATLANTA ATTACHMENT COMPANY
401 Industrial Park Drive
Lawrenceville, Georgia 30245
(404) 963-7369
TELEX: 261-374 AAC

The "Sudden Service" Company

AT 115B
MULTI-FUNCTION FAST ACTION KNIFE

DESCRIPTION: Electronically controlled, air operated device, designed to cut apart and/or trim continuous sewn material such as binding, belt loops, waistbands, etc., up to 1½ inches wide. This unit consists of a fast action toggle link knife, a 10 function control box, two retro-reflective eyes, two three-digit counters and a pneumatic power pack.

OPERATION: The operator positions the rotary selector switch to choose any one of the following 10 functions:

1. Cut leading edge and trailing edge with auto-stop binding saver.
2. Cut leading edge and trailing edge without auto-stop binding saver.
3. Cut leading edge only.
4. Cut trailing edge only.
5. Cut trailing edge only with auto-shop binding saver.
6. Butt garments and cut apart (using trailing edge counter).
7. Cut long tie strings (apron, shoulder ties, etc.)
8. Continuous cut belt loops, belts, ties (using trailing edge counter).
9. Same as #8 above except also uses leading edge counter to stop machine after cutting preset number of pieces.
10. Uses leading edge counter to stop for label insertions, cuts trailing edge with auto-start binding saver.

Depressing the manual cut button, resets the knife after selection. All cuts whether flush or preset length are accurate within + or − one stitch. The binding saver will automatically stop the sewing machine to reduce material waste.

MACHINE CLASS: All industrial flat bed or cylinder bed lock & chainstitch machines. Unit may be transferred from one machine to another after initial installation procedure.

AIR REQUIREMENTS: .05 to .75 SCFM at 70 PSI depending on operation.

ELECTRICAL: 220V single phase.

For a complete VHS video presentation and for all your folders, work-aids & automation, **CALL THE "SUDDEN SERVICE" COMPANY.**

NEW COST CUTTER!

AT 115B

THIS MULTI-FUNCTION FAST ACTION KNIFE

WILL SAVE MONEY TEN WAYS—

- **Eliminate the costly cut apart and trim operations**
- **Electronically controlled air operated**
- **One stitch accuracy**
- **Does not require electronic motor**
- **Easy in plant installation**
- **Adapts to existing machines**
- **Includes "material miser" functions**
- **Cuts binding up to 1½ inches wide**
- **Minimal air consumption**



VIDEO TAPE AVAILABLE UPON REQUEST

The AT115B fast action knife offers ten different cut apart & trim combinations to solve all your binding, belting or strip cutting problems and is designed to fit most all flat bed or cylinder bed sewing machines.

*Call The **SUDDEN SERVICE** Company for more information and all your folder and attachment needs.*

ATLANTA ATTACHMENT COMPANY

401 INDUSTRIAL PARK DRIVE · LAWRENCEVILLE, GA. 30245 · (404) 963-7369 – TELEX 261-374 AAC

MODEL 1535
AUTOMATIC CUT-APART ATTACHMENT

DESCRIPTION:	An electro-pneumatic devise consisting of a variable speed puller, an impact type cutter controlled by a single retro-reflective eye, and a round belt conveyor mounted to the side of the presser foot. Designed to automatically cut raw rubber or narrow elastic between pieces.
OPERATION:	The operator presents the material through a hemming folder and under the presser foot and sews—the next piece is placed into the folder with minimal gap to reduce elastic or rubber waste—as the subsequent pieces are sewn, the puller which is running faster than sewing speed, stretches the elastic—the retro-reflective eye detects the trailing edge of the piece & cycles the cutter—the side conveyor carries the leading edge of the next piece to the puller and prevents the material from jamming.
MACHINE CLASS:	Most industrial machines
AIR REQUIRED:	.02 SCFM at 50PSI
SPECIFICATION:	Folders made per customer sample

WANT TO MAKE SOME

MONEY

ON THE SIDE

OUR MODEL 1535 AUTOMATIC CUT-APART SIDE CONVEYOR FOR NARROW ELASTIC AND RAW RUBBER HEMMING WILL PROVIDE THE SAVINGS BY ELIMINATING THE TRIMMING OPERATION AND ASSURES THE HEM QUALITY

MODEL 1535



clean finish



downturn hem



imitation tunnel

- **ELIMINATES SERGE ELASTIC OPERATION**
- **ELIMINATES TRIMMING ELASTIC**
- **SAVES ELASTIC**
- **INCREASES PRODUCTION**
- **SIMPLE CONTROLS**
- **ADAPTS TO EXISTING MACHINE**

VIDEO TAPE AVAILABLE UPON REQUEST

Call The ***SUDDEN SERVICE*** *Company for more information and all your folder and attachment needs.*

ATLANTA ATTACHMENT COMPANY

401 INDUSTRIAL PARK DRIVE · LAWRENCEVILLE, GA. 30245 · (404) 963-7369 – TELEX 261-374 AAC

MODEL 1375 VIBRATING BINDER

This binder is designed to move in opposite directions to the feed dogs on most sewing machines. The movement away from the feed direction draws additional binding from the reel and feeds fullness under the foot while the needle is up.

The amount of feed is easily adjustable and may be set to pleat corners to completely eliminate cupping.

The 1375 Vibrating Binder is available for most all industrial machines and can be provided in all binding configurations.

RAW TOP & BOTTOM



CLEAN TOP & BOTTOM

CLEAN TOP — RAW BOTTOM

RAW TOP — CLEAN BOTTOM

CALL THE "SUDDEN SERVICE COMPANY FOR ALL YOUR FOLDER, SPECIAL GAGE PARTS, AND WORK AID REQUIREMENTS.

PUT THE PUCKER

WHERE IT BELONGS

MODEL 1375

VIBRATING BINDER

Synchronous feed eliminates pucker and undulations in stretch bindings.



ELIMINATE WAVES



ELIMINATE CUPPING



WITH WITHOUT

ATLANTA ATTACHMENT COMPANY
THE SUDDEN SERVICE COMPANY

401 INDUSTRIAL PARK DR LAWRENCEVILLE, GA. 30245

404/963-7369
TELEX 261-374 AAC

A GRIPPING STORY!!

FROM ATLANTA ATTACHMENT COMPANY

AUTOMATED APPLICATION

CUSTOM BUILT CLAMPS AND PROGRAMS FOR ELECTRONIC TACKERS AND SEWING STATIONS

OUR YEARS OF EXPERIENCE IN FABRIC AND MATERIAL HANDLING MAKE US THE RIGHT CHOICE FOR SOLVING YOUR CLAMPING NEEDS.

MITSUBISHI PLK SERIES
JUKI AMS SERIES
BROTHER BAS SERIES



MULTIPLE PARTS CLAMPS

"SUDDEN SERVICE"
OUR MOTTO – OUR WAY OF BUSINESS!

*Call The **SUDDEN SERVICE** Company for more information and all your folder and attachment needs.*

ATLANTA ATTACHMENT COMPANY
401 INDUSTRIAL PARK DRIVE · LAWRENCEVILLE, GA. 30245 · (404) 963-7369 – TELEX 261-374 AAC

Can't Get YOUR Machine to Feed?

The "SUDDEN SERVICE" Company can help!

Walking foot machine equipped with top and bottom driven puller

- We can retrofit your machine with a puller
- Puller may be top driven
- Puller may be bottom driven
- Puller may be both top and bottom driven
- A wide variety of rollers is available: rubber, steel, aluminum, polyurethane, etc.
- The rollers may be smooth, straight, diamond knurled, fluted, grooved, etc.

Walking foot machine equipped with dual top cleated drive belts

- Your machine may be retrofitted with top belt feeds
- Full speed of machine may be utilized
- Compresses bulky items such as pillows
- Plies come out evenly
- Eliminates distortion
- Helps cross heavy seams
- Improves quality
- Stops short stitches and resulting material damage

- Your overlock or safety stitch machine may be retrofitted with a top belt feed
- Full speed of machine may be utilized
- Feeds vinyls, rubber, leather and foam-backed materials without distortion
- Plies come out evenly
- Top Belt Feed has an infinite speed range
- Can be removed in minutes for other operations

Allow 2 weeks for installation

Overlock or safety stitch equipped with single top drive belt

Call the SUDDEN SERVICE Company for more information and all your folder and attachment needs

ATLANTA ATTACHMENT COMPANY

401 INDUSTRIAL PARK DRIVE • LAWRENCEVILLE, GA. 30245 • (404) 963-7369 – TELEX 261-374 AAC

Fluid Drive Backwinder

With An Automatic Transmission

- The Fluid-Drive Torque Converter replaces the slip clutch drive and eliminates problems and maintenance.
- The cloth is pulled smoothly, even while stopping and starting.
- The constant torque winds large rolls tightly, allowing more yards per roll.
- The unit is driven by a double groove pulley and v-belt from the motor.
- The viscosity and quantity of the oil determines the torque.
- The sewing head runs cooler on automatic operations.
- Available in all sizes and configurations for your special needs.

LEVEL-WIND WINDER

When lace, elastic, ric-rac, piping or any other trim has to be rewound on spools, the Atlanta Attachment Company Level-wind quickly fills this need.

Available with pre-set yardage counter, the winder stops when the pre-determined number of yards is reached.

The winder may be connected in series with any automatic machine to rewind trims after sewing.

The Level-wind is self-powered and may be operated independently of other equipment. It is portable and may easily be moved from one area to another.

It allows trims to be purchased in larger quantities, rewound and then be shipped to contract or satellite plants.

The Level-wind Winder is in stock now to insure immediate delivery.



Call The SUDDEN SERVICE Company for more information and all your folder and attachment needs.

ATLANTA ATTACHMENT COMPANY

401 INDUSTRIAL PARK DRIVE • LAWRENCEVILLE, GA. 30245 • (404) 963-7369 – TELEX 261-374 AAC

DON'T LET YOUR BUSINESS SLIP AWAY...

THE WALKER TAPE FEEDER CAN HELP YOU ELIMINATE EMBARRASSING MOMENTS LIKE THIS.

Walker Tape Feeder

PATENT PENDING

The Walker Tape Feeder is a dispensing device for all types of zipper chain, lace, elastic or other trims.

The tape feeder unit keeps slack in trim and delivers it to the sewing machine in a relaxed condition. This eliminates inconsistant measurements for garments with elastic and increases production because there is no wasted trim or time. So, stop worrying about YOUR problems and start using OUR solution.

Call or write for more information on the time-tested (25 years), dependable WALKER TAPE FEEDER.

Adaptable to all sewing equipment.
(Available in 110 Volt or 220 Volt.)

Walker Fabric Controls is a wholly owned subsidiary of:

ATLANTA ATTACHMENT CO.
401 Industrial Park Drive
Lawrenceville, Georgia 30245
(404) 963-7369

Atlanta Attachment Company

RUFFLERS

- Constant Rufflers
- Intermittent Rufflers
- Sandwich Rufflers
- Top Rufflers
- Bottom Rufflers
- Double Blade Rufflers
- Top and Bottom Rufflers
- Edge-To-Edge Rufflers
- Top Stitch Rufflers

– For –
Almost Any Machine

- Single Needle
- Double Needle
- Multi-Needle
- Lockstitch
- Chainstitch
- Overlock
- Safety Stitch
- Zig-Zag, etc.

SEND SEWN SAMPLE OR SKETCH OF SEAM TO RECEIVE A QUOTE ON PRICE AND DELIVERY.

ADVISE MACHINE CLASS.

Illustrated Above: **Sandwich type Ruffler on Overlock Sewing Head. For bed spreads, curtains, dresses, skirts, etc.**



Illustrated Above: **Special wide gauge machine ¼"–5"–¼" for curtains. Gauge sets and rufflers available 10-15 working days.**

Atlanta Attachment Company
401 Industrial Park Drive
Lawrenceville, Georgia 30245
Phone: (404) 963-7369
Telex: 261-374 AAC

"The SUDDEN SERVICE Company"

NEW

Intermittent Top Shirring For Overlocks

(Patent Pending)



The SUDDEN SERVICE Company **introduces a new concept in shirring. With our Model 1510 Intermittent Top Shirring Device it is now possible to place the ply to be shirred on top!**

The advantages are:

- **Less repairs**
- **Better quality**
- **Increased production**
- **Installed in less than one hour by your maintenance personnel**
- **Swings out for threading and machine repair**
- **Shirring ratio adjustable by operator**
- **Full speed of sewing head may be utilized**
- **Detaches in minutes when not needed**
- **No modification to sewing head**
- **Available for all overlocks and safety stitch machines**
- **In stock for most popular machines**

Call The SUDDEN SERVICE Company for all your folder and attachment needs.

ATLANTA ATTACHMENT COMPANY

401 Industrial Park Drive / Lawrenceville, Georgia 30245
404/963-7369 Telex 261-374 AAC

VIDEO TAPE AVAILABLE UPON REQUEST

WHAT CAN WE DO FOR YOU?

Hemmers of all types and sizes are available for your special needs.

Trim and Bind in one operation. Binders available for special machines. Allows you to eliminate the costly trim before bind operation.

Your machine can be modified to perform your needs exactly. Let our experienced personnel recommend the correct attachment.

Special pressure feet, needle plates and feeds are available through our engineering department within 10-15 working days.

Strip-load folders allow you to better utilize your material. Perfect for color shading and small lots.

Obsolete parts are available. Send in your worn or broken part, we'll replace it in 10-15 working days.

Banding folders produce a uniform seam every time, even with an unskilled operator.

Combination folders combine two or more operations to save you money.

Close-coupled pullers may be retrofitted to your machine.

Cord piping and welting folders are available for all class machines.

Top belt feeds are available for vinyl, foam-backed material or any material or seam that is difficult to sew.

Atlanta Attachment Company is the largest designer and manufacturer of these and all other types of labor-saving devices for the sewn products industry. Send for a complete catalog.

ATLANTA ATTACHMENT COMPANY

401 Industrial Park Drive • Lawrenceville, Georgia 30245 • (404) 963-7369

The people who make *"Sudden Service"* possible

We at Atlanta Attachment Company appreciate the trust you have placed in our company and we renew our commitment to continue our policy of ***"Sudden Service"*** as we design and manufacture the Quality Products you need.

Yours truly,

Elvin C. Price

Elvin C. Price, President

Atlanta Attachment Company, 401 Industrial Park Drive, Lawrenceville, Georgia 30245, Phone: (404) 963-7369 / Telex: 261-374 AAC



Things Are Shaping Up!

The "Sudden Service" Company

Atlanta Attachment Company offers you something to get excited about! Our aggressive expansion program has enabled us to triple our manufacturing facility, add skilled personnel and expand product lines.

Atlanta Attachment is backing its longtime policy of **"Sudden Service"** with a broad range of services to the needle trades.

- AAC designs and manufactures special gauge sets for multi-needle machines
- AAC manufactures and installs rufflers and synchronized pullers
- AAC builds semi and complete automatic sewing units
- AAC makes "modifications" to existing machines to allow new or varied operations

Atlanta Attachment continues to make standard and custom folders, hemmers and binders in five working days . . . all a part of **"Sudden Service."** Just a few reasons to get excited!

Now Available, English/Spanish edition, Atlanta Attachment Company Equipment Catalog.

aac

ATLANTA ATTACHMENT COMPANY

401 INDUSTRIAL PARK DRIVE
LAWRENCEVILLE, GEORGIA 30245
(404) 963-7369
Telex 261-374 AAC