

ATLANTA ATTACHMENT COMPANY





Elvin C. Price
Chairman & Chief Executive Officer

This year, the company that I started as a part-time venture in the basement of my home, celebrates 20 years of continuous growth. My one-man endeavor has become a diversified manufacturing company in a modern 53,000 square-foot facility with more than 100 dedicated employees.

Our attention and response to customers have made us the largest supplier of labor-saving devices for the sewn products industry. Our "Sudden Service" policy reflects our commitment to understanding and meeting the needs of our customers. "Sudden Service" means timely delivery of all folders, attachments, automated workstations and custom built equipment.

We appreciate the support and confidence of our customers, and renew our "Sudden Service" pledge to you.

*"No one ever achieves success
without the help of others."*

With this thought in mind, we gratefully dedicate this catalog to you, our customer, to our many friends in the supply business and to our valued employees.






Charles R. Baird
Vice President, Sales



H. Randy Cross
President & Chief
Operating Officer




Howard A. Hodgins
Director of Marketing
& Business Development



James Atkinson
Sales



Jackie Wyrick
Sales Manager



Don Whidby
Sales

"Sudden Service"

Our policy means we will process your order for folders through our shop in 5 to 7 working days from receipt of samples. If, for some reason, shipment cannot be made within this time, you will be notified of the delay. A 12 working day period applies to special gauge parts and automated equipment.

MODEL AP-23

AUTOMATIC RIB KNIT CUFF SETTING STATION

DESCRIPTION: An electronically controlled cuff setting station. This unit is designed to form rib knit tape up to 8 inches wide into a cuff band and sew the band onto the sleeves. The station consists of an interchangeable sewing head and power console, tape feeding device, automatic cut-apart knife, conveyor with automatic stacker, and a bundle return conveyor.

OPERATION: The sleeve is placed at the presser foot and the material is sensed, sewing is then automatically started. The trailing edge of the sleeve is sensed and the cuff is cut apart. The finished sleeve is carried to the stacker by the upper conveyor. The operator loads sleeves continuously, if for any reason another piece is not loaded the sewing will automatically stop, saving material. At the completion of a bundle a manual switch may be pressed to return the stacked parts to the operator.

MACHINE CLASS : All industrial safety, overlock, or cover stitch machines.

AIR REQUIRED : .05 SCFM at 60 PSI

OTHER MODELS : AP-22 Rib Knit Collar, Cuff and Band Setting Attachment

OTHER OPERATIONS : The cut-apart, stack and bundle return apparatus may be applied to many unrelated operations, I.E. pocket facing, binding, etc. The sewing head and power console are independently mounted and different operations may be interchanged in a matter of minutes by the operator.

We're Up To Our Cuffs In High Production & Fabric Savings.




You can be too—with our Automatic Cuff Setting Station for sleeves. This precision-built, electronically-controlled workstation will reduce labor and fabric costs in your cuffing operation—and consistently deliver top-quality.

- Operates automatically—start and stop
- Requires minimum operator training
- 700 dozen sleeves (350 dozen pair) in 8 hours
- Available for overlock and coverstitch machines

The Model AP-23 features a variable speed tape-feeder that insures correct gathering and side cuff tape trim. A precise cutter eliminates tape waste between pieces, while a unique device produces a prime stack of sewn sleeves and returns completed bundles to the operator on command.

Call us today for "Sudden Service" on the Model AP-23. Because we've got fabric savings and higher production up *our* sleeves.



MODEL AP-23
AUTOMATIC CUFF SETTING STATION



ATLANTA ATTACHMENT COMPANY

401 Industrial Park Drive, Lawrenceville, Georgia 30245
(404) 963-7369 Telex: 261-374AAC FAX: (404) 963-7641

MODEL AP-24

Automatic Rib Knit Leg Cuff Setting Station

- DESCRIPTION:** An electronically controlled cuff setting station. This unit is designed to form rib knit tape up to 8 inches wide into a cuff band and sew the band onto the legs. The station consists of a sewing head and power console, tape feeding device, automatic cut-apart knife, and a pneumatic bundle clamp.
- OPERATION:** The leg is placed at the presser foot and the material is sensed, sewing is then automatically started. The trailing edge of the leg is sensed and the cuff is cut apart. The finished leg then falls from the rear of the unit. The operator loads legs continuously, if for any reason another piece is not loaded the sewing will automatically stop, saving material. At the completion of a bundle a manual switch may be pressed to open the pneumatic clamp and allow bundle disposal and reloading.
- MACHINE CLASS:** All industrial safety, overlock, or cover stitch machines.
- AIR REQUIRED:** .05 SCFM at 60 PSI
- OTHER MODELS:** AP-22 Rib Knit Collar, Cuff and Band Setting Attachment.
AP-23 Automatic Rib Knit Sleeve Cuff Setting Station.



VIDEO TAPE AVAILABLE UPON REQUEST

Call The **SUDDEN SERVICE** Company for more information and all your folder and attachment needs.

ATLANTA ATTACHMENT COMPANY

401 INDUSTRIAL PARK DRIVE · LAWRENCEVILLE, GA. 30245 · (404) 963-7369 – TELEX 261-374 AAC
FAX 404-963-7641



More Cuffs... Less Cost.

Reduce labor and save fabric in your cuffing operation with Atlanta Attachment's Model AP-24. The Model AP-24 is a precision-built workstation that consistently delivers top-quality.

- Sews more than 250 dozen garments per 8 hour day
- Indexes bundles automatically
- Requires minimum operator training
- Available for sergers and coverstitch machines

The workstation features a variable speed tape-feeder that insures correct gathering and side tape trim of 1/8". Tandem variable speed pullers and precise automatic cut apart saves tape between pieces.

Call us today for "Sudden Service®" on the Model AP-24.



Model AP-24
Automatic Cuff Setting Station
Video tape available upon request.



Atlanta Attachment Company

401 Industrial Park Drive, Lawrenceville, Georgia 30245
(404) 963-7369 • Telex: 261-374AAC • FAX #: (404) 963-7641

MODEL 1987

AUTOMATIC WAISTBAND STATION

DESCRIPTION: An electronically controlled, electro-pneumatic operated device designed to produce finished waistbands with the band ends unsewn and cut to precise length. This station consists of a multi-needle sewing machine*, an auxilliary power feed package, pneumatic safety knife, and control package including electronic motor and automatic waistband measuring capability.

OPERATION: The operator inserts the garment into the folded band and up to a mark on the throat plate which closes the leading edge sensor. Depressing the sew treadle begins the sewing and the stitch count. When the preset number of stitches are sewn the machine is automatically stopped while the safety knife trims the band. Sewing then continues under operator control until the trailing edge of the garment is sensed. The trailing edge sensor automatically stops the sewing, actuates the undertrimmer (lockstitch machines), lifts the presser foot and engages the auxilliary power feed to draw the garment and banding to the precise point of end trim. A three digit counter may be set for the desired waistband size and a digital readout is illuminated during sew. This will energize indicator lights if the finished garment is not in tolerance.


MACHINE CLASS: Most industrial multi-needle machines.
Lockstitch or chainstitch

"THE BAND-IT"

ALIAS
MODEL 1987 AUTOMATIC WAISTBAND STATION

MOST WANTED !!

FOR AUTOMATICALLY MEASURING THE WAISTBAND AND
ALERTING OPERATOR WHEN SIZE IS OUT OF TOLERANCE



REWARD !!

- INCREASED PRODUCTION • LOWER OPERATOR SKILL • CONSISTANT HIGH QUALITY
- AUTOMATIC WAISTBAND MEASUREMENT • PRECISE BAND END TRIM
- NO STITCH RIPPING AT CLOSING BAND ENDS

TOP & BOTTOM




TWO PIECE BAND

DISGUISES !!

MAY BE SEEN IN ANY OF THREE FORMS
ON MOST ANY INDUSTRIAL MACHINE

VIDEOTAPE AVAILABLE UPON REQUEST

DOWNTURN HEM



WITH BOTTOM BAND

Call The **SUDDEN SERVICE** Company for more information and all your folder and attachment needs.

ATLANTA ATTACHMENT COMPANY

401 INDUSTRIAL PARK DRIVE · LAWRENCEVILLE, GA. 30245 · (404) 963-7369 – TELEX 261-374 AAC

MODEL 1535

AUTOMATIC CUT-APART ATTACHMENT

DESCRIPTION: An electro-pneumatic devise consisting of a variable speed puller, an impact type cutter controlled by a single retro-reflective eye, and a round belt conveyor mounted to the side of the presser foot. Designed to automatically cut raw rubber or narrow elastic between pieces.

OPERATION: The operator presents the material through a hemming folder and under the presser foot and sews—the next piece is placed into the folder with minimal gap to reduce elastic or rubber waste—as the subsequent pieces are sewn, the puller which is running faster than sewing speed, stretches the elastic—the retro-reflective eye detects the trailing edge of the piece & cycles the cutter—the side conveyor carries the leading edge of the next piece to the puller and prevents the material from jamming.


MACHINE CLASS: Most industrial machines

AIR REQUIRED: .02 SCFM at 50PSI


SPECIFICATION: Folders made per customer sample

WANT TO MAKE SOME MONEY


OUR MODEL 1535 AUTOMATIC CUT-APART SIDE CONVEYOR FOR NARROW ELASTIC AND RAW RUBBER HEMMING WILL PROVIDE THE SAVINGS BY ELIMINATING THE TRIMMING OPERATION AND ASSURES THE HEM QUALITY




clean finish



downturn hem



imitation tunnel



MODEL 1535

- ELIMINATES SERGE ELASTIC OPERATION
- ELIMINATES TRIMMING ELASTIC
- SAVES ELASTIC
- INCREASES PRODUCTION
- SIMPLE CONTROLS
- ADAPTS TO EXISTING MACHINE

VIDEO TAPE AVAILABLE UPON REQUEST

ON THE SIDE

Call The **SUDDEN SERVICE** Company for more information and all your folder and attachment needs.

ATLANTA ATTACHMENT COMPANY

401 INDUSTRIAL PARK DRIVE · LAWRENCEVILLE, GA. 30245 · (404) 963-7369 – TELEX 261-374 AAC

MODEL AT116 PROGRAMMABLE FAST-ACTION KNIFE

DESCRIPTION: An electronically controlled pneumatic scissor-type knife designed to cut apart and/or trim continuous sewn material such as binding, belt loops, waistbands, etc., up to 1½ inches wide. This unit consists of a fast-action toggle link knife, a keypad programmable control box with LCD readout, edge sensing and stitch count capability, and automatic stop to prevent material waste.

OPERATION: The operator selects any programmed function by pressing numbers on the keypad—the stitch count and cut functions are clearly visible on an LCD readout—each sequence may be inspected or altered by following the program sequence. For example, Program 1 cut leading and trailing edge with automatic binding saver: material is inserted into a binder and depressing the sew treadle initiates sewing—a reflective eye senses the leading edge and the binding is cut after a preset number of stitches without stopping. Sewing continues until the trailing edge is sensed and after counting the preset number of stitches the binding is cut and sewing is automatically stopped to prevent material waste.

APPLICATIONS: Binding, taping, belt loops, apron strings, cap sweatbands, collarettes, etc.

MACHINE CLASS: Most industrial sewing machines

AIR REQUIRED: .05 to .75 SCFM at 60 PSI depending on operation

ELECTRICITY: 220v single phase

PAY-BACK

***This Programmable Fast Action Knife
Will Pay For Itself In 6-8 Weeks***

MODEL AT 116

- Eliminate the costly cut-apart operation
- Available for any make or model flatbed or cylinder arm machine
- Installs in-plant in approximately 2 hours
- Switch to different machine as needed
- Does not require special electronic motor
- **Binding Saving Feature**
Stops the sewing machine automatically after the trailing edge cut.



Binding may be cut flush with the garment on both ends or a specified length of binding can be left to fold back and tack, or form tie strings, unit may be used as a loop cutter, label insert control and end trim, or any of six other operations. Sequences and stitch & cut values are easily programmed on the keypad control with LCD readout.

VIDEO TAPE AVAILABLE UPON REQUEST.

Call The **SUDDEN SERVICE** Company for more information and all your folder and attachment needs.

ATLANTA ATTACHMENT COMPANY

401 INDUSTRIAL PARK DRIVE • LAWRENCEVILLE, GA 30245 • (404) 963-7369 — TELEX 261-374 AAC

SPOT ELASTIC ATTACHMENT


MODEL 425-14

DESCRIPTION	An air operated device, consisting of upper & lower folders, a feed, & cut, & tension mechanism, automatic foot lift and control package, designed to insert elastic between two piece waistband or a top downturn hem & a bottom strip to form a stretch band of varying length or a number of spot insertions.
OPERATION:	Operator heels treadle to lift presser foot—presents garment under foot and sews to predetermined point (notch, mark, pocket hem, etc.) pressing the knee switch activates the feed and momentarily lifts the presser foot for elastic insertion—as sew begins the elastic is automatically metered—sew continues until near the point where gathering is to end (approximately 2 inches)—pressing the toe switch cuts the elastic—continuation of sew draws the elastic from the metering device as the flat band is completed.
SPECIFICATION:	3" spot to full elastic band 2" wide elastic maximum includes folders to suit material
AIR CONSUMPTION:	.25 SCFM at 60 PSI
MACHINE CLASS:	All industrial multi-needle machines
OTHER MODELS:	1278-4 clean finish circular elastic band 1278-3 topstitch serged circular elastic band 350-12 clean finish spiral elastic (conveyor) 350-14 downturn hem open elastic (conveyor)

ELASTIC WAISTBANDS GOT YOU **ON THE SPOT?**

MODEL 425-14 MAKES SIDE SPOT & HALF ELASTIC WAISTBANDS EASY & PROFITABLE


- ELIMINATE ELASTIC HANDLING
- INSERT & METER AUTOMATICALLY
- CUT & REINSERT ON COMMAND
- 3" SPOT TO FULL BACK CAPABILITY
- ADAPTABLE TO MOST MACHINES
- TOTALLY PNEUMATIC CONTROLS
- ELASTIC WIDTHS UP TO 2 INCHES



TWO PIECE BAND
SANDWICH ELASTIC



TWO PIECE BAND
BOTTOM COVER



TOP HEM
BOTTOM COVER



TOP HEM
SANDWICH ELASTIC



VIDEO TAPE AVAILABLE UPON REQUEST

Call The **SUDDEN SERVICE** Company for more information and all your folder and attachment needs.

ATLANTA ATTACHMENT COMPANY

401 INDUSTRIAL PARK DRIVE · LAWRENCEVILLE, GA. 30245 · (404) 963-7369 – TELEX 261-374 AAC

MODEL 1904

MULTI-NEEDLE UNDERTRIMMER


DESCRIPTION: An electronically controlled pneumatic operated knife which includes an automatic footlift and an electronic motor for needle positioning. This is designed to cut both the needle and looper threads and is available for retro-fit to most industrial flatbed chainstitch machines up to 25 needles and any gauge.

OPERATION: At the end of each sewing cycle the operator heels the sew treadle to position the needles up, lift the presser foot and puller, and actuates the trimmer to cut the threads. The sewn piece can then be removed. The model 1904 will not affect the normal operation of the sewing machine.

INSTALLATION: The Model 1904 Multi-needle undertrimmer complete with electronic motor and foot and puller lift is installed in our factory. You need only send your machine, table and stand, along with sample thread and material to our facility for prompt delivery.

MULTI-NEEDLE UNDERTRIMMER

RETROFIT TO MOST CHAINSTITCH
MACHINES UP TO 25 NEEDLES AND
ANY GAUGE



MODEL 1904

THE MODEL 1904 UNDERTRIMMER CAN BE ADAPTED TO MACHINES WITH ALMOST ANY TYPE FOLDER, SUCH AS HEMMERS, BANDERS, ETC. THIS UNIT IS PARTICULARLY EFFECTIVE FOR CIRCULAR ELASTIC OPERATIONS.

VIDEO TAPE AVAILABLE UPON REQUEST

Call The **SUDDEN SERVICE** Company for more information and all your folder and attachment needs.

ATLANTA ATTACHMENT COMPANY

401 INDUSTRIAL PARK DRIVE · LAWRENCEVILLE, GA. 30245 · (404) 963-7369 – TELEX 261-374 AAC

MODEL 1278-4

CIRCULAR CLEAN FINISH WAISTBAND STATION

DESCRIPTION: An electro-pneumatic device consisting of expansion roller guides, two position folder, power feed package, and air control package designed to sew pre closed elastic loop inside a closed garment to produce a clean finish circular elastic waistband.

OPERATION: The pre sewn elastic loop is inserted inside the closed circular garment to a depth equal to the width of the elastic plus $\frac{3}{8}$ to $\frac{1}{2}$ for fold under. The operator touches the air foot switch to collapse the guide rollers, heels sew treadle to lift presser foot. The garment is inserted over the rear roller—under the foot and over the front roller—depress the air foot pedal to expand the roller. A touch of the knee switch shifts the clean finish folder to the right and the operator tucks the fold under material with the fingers of the right hand. A touch of the toe switch draws the garment through the folder 5 to 7 inches to assure a clean fold. The garment is sewn to the point where stitching began—A press of the knee switch opens the folder and allows sew over of the starting stitches. Heeling the treadle actuates the under-trimmer & foot lift*. A touch of the air foot pedal collapses the rollers for unloading.

*Machines without undertrimmer will have foot lift & position only—Optional thread chopper available

AIR REQUIRED: .05 SCFM at 60 PSI

MACHINE CLASS: Most industrial multi-needle machines

OPTIONS: Thread chopper—Needle positioner
—close coupled puller—foot lift.


OTHER MODELS: 350-12 Clean finish spiral elastic (conveyor)
350-14 Downturn hem open elastic (conveyor)
425-14 Spot elastic devise
1278-3 Topstitch serged circular elastic

Don't Sweat It!!

*Circular, clean finish elastic bands are easy. . .
with our model 1278-4.*


Electro-pneumatic
attachment for sewing
pre-closed elastic
loops to circular
garments with power
feed to start the
clean finish fold

1278-4




- SIMPLE CONTROLS
- LOW MAINTENANCE
- EASE OF OPERATION
- ELIMINATE BULKY SEAT SEAM
- ADAPTS TO EXISTING MACHINE
- REDUCES OPERATOR FATIGUE
- REDUCES SKILL FACTOR
- REDUCES TRAINING


VIDEO TAPE AVAILABLE UPON REQUEST




Clean Finish Hem



Open Elastic Hem



Single-Turn Hem with Serged
or Binding Edge



Garment with Pre-Closed
Inner Band

Call The **SUDDEN SERVICE** Company for more information and all your folder and attachment needs.

ATLANTA ATTACHMENT COMPANY

401 Industrial Park Drive • Lawrenceville, Georgia 30245 • 404-963-7369 • Telex 261-374 AAC

MODEL 350-25

CLEAN FINISH ELASTIC FOLDER

DESCRIPTION: A manually operated patented spiral guiding folder for elastic up to 1½ inches wide, complete with mounting bracket, edge guide and tight finish cap.

OPERATION: The folder is loaded with elastic supplied through a metering device. The folder guides the elastic to the sewing machine while turning the elastic 180°. The operator depresses the sew treadle while inserting the garment into the folder at an edge guide which controls the amount of turn under. The elastic feeds the garment through the spiral folder causing a tight, clean finish wrap as the material is sewn.

APPLICATIONS: Activewear, waistbands, children's pajamas, etc.

MACHINE CLASS: Most industrial flat bed multi-needle machines


ELASTIC WAISTBANDS.



Clean.
Tight.
Uniform.

SPIRAL FOLDER™


The Spiral Folder™ uniformly wraps fabric around elastic, eliminating raw edges and producing a tight, clean finish. Operator skill requirements are minimized. Productivity and quality are maximized.



MODEL #350-25
Video tape available upon request.



ATLANTA ATTACHMENT COMPANY
401 Industrial Park Drive, Lawrenceville, Georgia 30245
(404) 963-7369 Telex: 261-374AAC FAX #: (404) 963-7641



AP-17

ELASTIC METERING DEVICE

The SUDDEN SERVICE Company can supply our AP-17 Upper or AP-18 Lower Metering Device from stock. It can be installed by your maintenance personnel in approximately 30 minutes.

The advantages are:

- Consistent measurements
- Greater production
- Quality garments
- Low cost
- Up to 2½" elastic may be used
- Gear belt drive, no slip
- Available for all machines: overlock, cover stitch, multi-needle, etc.
- Quickly installed or moved to other machines
- Zero-max drive eliminates the overthrow and inconsistent measurements found in clutch-type metering devices
- Maximum speed of the machine may be utilized



AP-18


Call **The SUDDEN SERVICE Company** for more information and all your folder and attachment needs.

ATLANTA ATTACHMENT COMPANY

401 Industrial Park Drive / Lawrenceville, Georgia 30245
404/963-7369 Telex 261-374 AAC

QUICKER


Collars, Cuffs and Waistbands



The Electronic Rib-Knit Tape Feeder not only makes collars, cuffs and waistbands faster, it also makes them better. Now you can automatically set any degree of tension and get the same measurement every time.

The Electronic Rib-Knit Tape Feeder:

- Meters the fabric to produce consistently uniform sizing
- Requires minimal operator training
- Installs in less than an hour on any overlock



MODEL #AP-22E

Video tape available upon request.



ATLANTA ATTACHMENT COMPANY


401 Industrial Park Drive, Lawrenceville, Georgia 30245
(404) 963-7369 Telex: 261-374AAC FAX #: (404) 963-7641

The

Free Wheeling

AT-140

Center Cut-Apart Knife



**FOR SEPARATING PIECES
WHERE STRIPES OR BANDS
ARE SEWN IN THE MIDDLE
OF THE FABRIC.**

- Pneumatic operation with safety device
- Controls may be pneumatic, electric or automatic
- Long-lasting, low-cost round blades
- Effective cutting width to suit your operation
- Custom-designed to fit most industrial machines

Another Money-Saving Innovation From the "Sudden Service" Company



Atlanta Attachment Company

401 Industrial Park Drive
Lawrenceville, Georgia 30245
(404) 963-7369 / TELEX: 261-374 AAC

Knit Shirt Manufacturers

You're Losing Sales and Wasting Money If You're Not
Using Our Collar Setting and Taping System!

With our System, the seam on a placket-front shirt with full fashion collar is automatically taped as the collar is set, adding no additional cost to this operation.

Fits all overlock machines universally.

Special presser foot* with roller is available for all overlocks to insure positive start of taping.

Our System improves the merchandising of your shirts and adds that finished look.

Contact us today for more information on our No. 273-4 Collar Setting and Taping System, or make an appointment for a demonstration on your shirts in our Lawrenceville show room.

*PATENT PENDING



ATLANTA ATTACHMENT COMPANY
401 Industrial Park Drive
Lawrenceville, Georgia 30245
(404) 963-7369
TELEX: 261-374 AAC

The "Sudden Service" Company

VIDEO TAPE AVAILABLE
UPON REQUEST



Don't let plunging necklines result in plunging profits



V-NECKS, ROUND COLLARS, BOTTOM BANDS, CUFFS, ETC., CAN BE ATTACHED WITH THE AP-22 VARIABLE SPEED METERING DEVICE FROM ATLANTA ATTACHMENT COMPANY.

Our Attachment dispenses collar, cuff or bottom band tape to an overlock machine from a roll with the desired tension, or without any tension at all.

- * "V" neck shirts with **both** shoulders closed, label and collar set in one operation.
- * Sweetheart collars with **both** shoulders closed, label and collar set in one operation.
- * Round collar shirts with **one** shoulder open, label and collar set in one operation.
- * Adjustable Folder accepts rolls cut 2"-10" Eliminates waste (cut too narrow, cut too wide).
- * Cuff-collar measurements consistent.
- * Swings out for machine threading and maintenance.
- * Installs in 45 minutes on any overlock.
- * Training time reduced.
- * Improves quality of garment.
- * Low purchase price—Quick pay-back.
- * CONTACT US TODAY FOR A DEMONSTRATION IN OUR SHOWROOM USING YOUR MATERIAL.



VIDEO TAPE AVAILABLE UPON REQUEST

THE
"SUDDEN SERVICE"
COMPANY

ATLANTA ATTACHMENT CO.
401 Industrial Park Drive
Lawrenceville, Georgia 30245
(404) 963-7369
Telex 261-374 AAC


ATLANTA ATTACHMENT COMPANY

Collar Set & Tape Operation

Flat collar seams improve T-shirt quality.



Collars are set and taped with both shoulders open—virtually eliminating the bulk of the serged seam.



MODEL # 1990
2 NEEDLE 401 STITCH




401 Industrial Park Drive, Lawrenceville, Georgia 30245
(404) 963-7369 Telex: 261-374AAC FAX #: (404) 963-7641

ATLANTA ATTACHMENT COMPANY

Circular Collar Setter

If you set collars in the round...



MODEL #1279W602.5


...the Circular Collar Setter was built
for your operation.

- Easy adjustability
- Unlimited neck sizes
- Consistent edge guide




401 Industrial Park Drive, Lawrenceville, Georgia 30245
(404) 963-7369 Telex: 261-374AAC FAX #: (404) 963-7641

ATLANTA ATTACHMENT COMPANY
Multi-Binder



European style collars, cuffs and bands.

Fashion garments need special attachments. The multi-binder can simultaneously apply up to five rows of binding. It delivers the collarettes to the correct seam point of the garment for a precise finish.



401 Industrial Park Drive, Lawrenceville, Georgia 30245
 (404) 963-7369 Telex: 261-374AAC FAX #: (404) 963-7641

Our Solutions To Sewing Problems Mean Bigger Profits For Our Customers.

Recently a major manufacturer of jeans apparel faced a sewing problem that required hours of operator training and time-consuming handwork. No automated process for producing jacket tabs was available on the market. The manufacturer turned to Atlanta Attachment Company for

research, development and production of a workstation that would quickly and consistently produce a quality tab.

The result? The Automatic Tab Unit.

The manufacturer now saves time and money on every tab produced. Bigger profits are the real pay-off.

The Automatic Tab Unit is just one example of Atlanta Attachment Company's ability to solve problems for customers. If an existing machine doesn't meet a customer's needs, we can make one that will.



MODEL #1956

Video tape available upon request.




ATLANTA ATTACHMENT COMPANY

401 Industrial Park Drive, Lawrenceville, Georgia 30245
(404) 963-7369 Telex: 261-374AAC FAX #: (404) 963-7641

ATLANTA ATTACHMENT COMPANY

Electronic Metering Device


Adapts for either an upper or lower metering.



- Consistent metering
- Stepping motor driven
- Electronically controlled
- Improves quality
- Reduces repairs
- Easy to install
- Available for all machines



MODEL #AP-28




401 Industrial Park Drive, Lawrenceville, Georgia 30245
(404) 963-7369 Telex: 261-374AAC FAX #: (404) 963-7641

DON'T LET YOUR BUSINESS SLIP AWAY...



THE WALKER TAPE FEEDER CAN
HELP YOU ELIMINATE EMBAR-
RASSING MOMENTS LIKE THIS.



The Walker Tape Feeder is a dispensing device for all types of zipper chain, lace, elastic or other trims.

The tape feeder unit keeps slack in trim and delivers it to the sewing machine in a relaxed condition. This eliminates inconsistent measurements for garments with elastic and increases production because there is no wasted trim or time. So, stop worrying about YOUR problems and start using OUR solution.

Call or write for more information on the time-tested (25 years), dependable WALKER TAPE FEEDER.

Adaptable to all sewing equipment.
(Available in 110 Volt or 220 Volt.)



Walker Fabric Controls is a wholly owned subsidiary of:

ATLANTA ATTACHMENT CO.
401 Industrial Park Drive
Lawrenceville, Georgia 30245
(404) 963-7369

Can't Get **YOUR** Machine to Feed?

The "SUDDEN SERVICE" Company can help!



*Walking foot machine equipped with
top and bottom driven puller*

- We can retrofit your machine with a puller
 - Puller may be top driven
 - Puller may be bottom driven
 - Puller may be both top and bottom driven
 - A wide variety of rollers is available: rubber, steel, aluminum, polyurethane, etc.
 - The rollers may be smooth, straight, diamond knurled, fluted, grooved, etc.
- Your machine may be retrofitted with top belt feeds
 - Full speed of machine may be utilized
 - Compresses bulky items such as pillows
 - Plies come out evenly
 - Eliminates distortion
 - Helps cross heavy seams
 - Improves quality
 - Stops short stitches and resulting material damage

- Your overlock or safety stitch machine may be retrofitted with a top belt feed
- Full speed of machine may be utilized
- Feeds vinyls, rubber, leather and foam-backed materials without distortion
- Plies come out evenly
- Top Belt Feed has an infinite speed range
- Can be removed in minutes for other operations

Allow 2 weeks for installation

*Call the SUDDEN SERVICE Company for more
information and all your folder and attachment needs*



*Walking foot machine equipped with
dual top cleated drive belts*



*Overlock or safety stitch equipped with
single top drive belt*

ATLANTA ATTACHMENT COMPANY

401 INDUSTRIAL PARK DRIVE • LAWRENCEVILLE, GA. 30245 • (404) 963-7369 – TELEX 261-374 AAC

Atlanta Attachment Company

RUFFLERS

- Constant Rufflers
- Intermittent Rufflers
- Sandwich Rufflers
- Top Rufflers
- Bottom Rufflers
- Double Blade Rufflers
- Top and Bottom Rufflers
- Edge-To-Edge Rufflers
- Top Stitch Rufflers


— For —
Almost Any Machine

- Single Needle
- Double Needle
- Multi-Needle
- Lockstitch
- Chainstitch
- Overlock
- Safety Stitch
- Zig-Zag, etc.


SEND SEWN SAMPLE OR
SKETCH OF SEAM TO RECEIVE
A QUOTE ON PRICE AND DELIVERY.
ADVISE MACHINE CLASS.

Atlanta Attachment Company
401 Industrial Park Drive
Lawrenceville, Georgia 30245
Phone: (404) 963-7369
Telex: 261-374 AAC


"The SUDDEN SERVICE Company"



Illustrated Above: Sandwich type Ruffler on Overlock Sewing Head. For bed spreads, curtains, dresses, skirts, etc.



Illustrated Above: Special wide gauge machine 1/4"-5"-1/4" for curtains. Gauge sets and rufflers available 10-15 working days.



**Variable Speed
Close-Coupled**

PULLERS

The *SUDDEN SERVICE* Company can retrofit a close-coupled variable speed puller to your machine. (AP—35 shown.)

Pullers may be top drive, bottom drive, or both top and bottom, depending on the machine class and operation.

Special rollers are available: steel, rubber, urethane or fiber. They may be diamond knurled, straight knurled, fluted or smooth.


Synchronized style pullers are available.

Call **The *SUDDEN SERVICE* Company** for more information and all your folder and attachment needs.

ATLANTA ATTACHMENT COMPANY

401 Industrial Park Drive / Lawrenceville, Georgia 30245
404/963-7369 — Telex 261-374 AAC

ATLANTA ATTACHMENT COMPANY
Circular Guiding Attachment
Consistent size and edge control.



The Circular Guiding Attachment makes the collar and the waistband operations easier and faster. Models are available for rib-knit and elastic.

Model 1279 for knit collars.

Model 1279 HD for elastic loops, available for Union Special 39500 or Merrow overlock.



Atlanta Attachment Company
401 Industrial Park Drive, Lawrenceville, Georgia 30245
(404) 963-7369 Telex: 261-374AAC FAX #: (404) 963-7641

PUT THE PUCKER


WHERE IT BELONGS




MODEL 1375

VIBRATING BINDER

Synchronous feed eliminates
pucker and waving in
stretch bindings



**ELIMINATE
WAVES**



**ELIMINATE
CUPPING**



WITH

WITHOUT

401 INDUSTRIAL PARK DR



LAWRENCEVILLE, GA. 30245


404/963-7369
TELEX 261-374 AAC

**Atlanta
Attachment
Company offers . . .**



Special Gauge Sets



Special gauge sets are available from the "Sudden Service" Company for all brands and types of machines. Union Special – Singer – Pfaff – Juki – Consew – Metropolitan – and all other brands.




Call or write today
for a quote and
for more information
on all your folder and
attachment needs.



ATLANTA ATTACHMENT COMPANY

401 INDUSTRIAL PARK DRIVE • LAWRENCEVILLE, GEORGIA 30245 • (404) 963-7369 • TELEX 261-374 AAC

The people who make "Sudden Service" possible



We at Atlanta Attachment Company appreciate the trust you have placed in our company and we renew our commitment to continue our policy of "**Sudden Service**" as we design and manufacture the Quality Products you need.

Yours truly,

Elvin C. Price, President

Atlanta Attachment Company, 401 Industrial Park Drive, Lawrenceville, Georgia 30245, Phone: (404) 963-7369 / Telex: 261-374 AAC

****YOU'RE INVITED****

TO VISIT OUR SHOWROOM AND FACTORY



OUR AUTOMATED WORKSTATIONS ARE AVAILABLE FOR INSPECTION AND DEMONSTRATION IN OUR MODERN SHOWROOM AT YOUR CONVENIENCE. CALL US AND BRING YOUR SAMPLES FOR A COMPLETE ANALYSIS OF MANUFACTURING OPERATIONS.

ATLANTA ATTACHMENT COMPANY

401 Industrial Park Drive, Lawrenceville, Georgia 30245
(404) 963-7369 Telex: 261-374AAC FAX: (404) 963-7641