A A C H M E

1993-1994 EXHIBITION CATALOG



Atlanta Attachment Company has come of age with the distribution of this, our 25th anniversary catalog. It has been an overwhelming experience to see our company grow from a garage shop in 1969, to the present 80,000+ square foot, state-of-theart manufacturing facility with over 175 employees.

We owe our success and the growth of Atlanta Attachment Company to you, our customers, our many friends in the supply industry, and our valued and loyal employees.

With this thought in mind, we rededicate ourselves to continuing the development and manufacture of the highest quality automated workstations, folders, attachments and labor saving devices available to



the sewn products industry.

We are committed to maintaining and improving our policy of "Sudden Service", so our customers may also prosper in this competitive global market.

We invite you to review this catalog and use it for reference. Please call or fax for immediate response to all your production needs.

"SUDDEN SERVICE"®

has been our motto for 24 years and is more important than ever. We invite you to look over the enclosed literature and contact us for additional information.



Mr. "SUDDEN SERVICE"

Elmir c. Price

CHAIRMAN & CEO

"NO ONE EVER ACHIEVES SUCCESS WITHOUT THE HELP OF OTHERS"

With this thought in mind we gratefully dedicate this booklet to you, our customer, our many friends in the supply industry, and our valued employees.



Atlanta Attachment Company Statement of Corporate Vision



e will be primarily a manufacturer and provider of products and services to our customers which are of high quality and provide overall value for their investment.

We will be noted for the delivery of these products and services on a timely basis.

We will make use of advanced technology where practical and economical.

The highest standards for material selection appropriate to the product/service will be maintained.

We will strive to provide a work environment of integrity, respect and dignity for employees and all whom come in contact with our business.

Employees will be recruited and maintained who are creative, technically competent and productivity oriented.

Management systems and processes will be developed and maintained which emphasize team work, a high level of quality assurance and flexibility.

We will be a profitable company and distribute this wealth in fair and equitable ways after sufficient reinvestment for necessary long term company growth.

We will be responsible to the environment and to the communities within which we do business.

We will diversify into various markets and product lines in order to leverage our expertise, balance our work demands, provide new opportunities for growth and hedge against downturns in any one industry.

Elvin C. Price

Chief Executive Officer

Juis c. Price



There are many ways one can express thanks or gratitude, verbal, written, gifts, etc. As we were in the process of preparing this, our largest catalog ever, many of our partners came to mind. How can we say thanks and what can we do to express our gratitude?

After much discussion, it was a unanimous decision. We feel the best way to say a special thanks is to rededicate ourselves to the original commitment, a commitment to giving you quality, state-of-theart products, and support with our unequalled "SUDDEN SERVICE."

Yes, to us at Atlanta Attachment, it is more than words, it is more than a logo, it is the fundamental belief of our company.

tlanta Attachment has recently taken the steps to meet your needs in Mexico, the Caribbean, Central and South America. Our international division is now fully operational in our Miami facility—ready, willing and able to move forward with you into these markets. The international division has shown record-breaking growth over the last year, and we look forward to sharing with you the same partnerships in these new markets.

In closing, many thanks to you for these many years, and we, indeed, thank you for the promise of an exciting future together.

EXECUTIVE VICE PRESIDENT

"SUDDEN SERVICE"®

Atlanta Attachment Company is the recognized sewn products industry leader in automated workstations, labor saving devices, folders and ergonomic risk reduction. The Company, founded in 1969, has made its policy of "SUDDEN SERVICE"® a way of life in all aspects of operation. Our entire staff is dedicated to providing three day shipments of most custom folders and attachments. Special gauge sets and other work aids are available in 10 working days or less.

Call our expert sales staff for "SUDDEN SERVICE" ® on all your sewing needs.



Robert Paust Nat'l. Acct. Rep.



Howard Hodgins
Director of Marketing
& National Accounts



Jackie Wyrick Director of Sales



Elvin C. Price
Mr. "SUDDEN SERVICE"



Don Whidby Sales



James Atkinson Sales



David Childs Sales




William Richey Sales

Pat Feagan Sales Assistant

ATLANTA ATTACHMENT INTERNATIONAL

Aditamentos para Máquinas de coser Oficina en Miami Sirviendo el Caribe y Centro y Sudámerica



ATLANTA ATTACHMENT INTERNATIONAL

Miami

The "SUDDEN SERVICE" ® Company

ATLANTA ATTACHMENT COMPANY


Miami

Miami

401 Industrial Park Drive / Lawrenceville, GA 30245 (404) 963-7369 FAX (404) 963-7641

ATLANTA ATTACHMENT INTERNATIONAL

AUTOMATIC TWO NEEDLE COVERSTITCH HEMMING



SLEEVES - POCKETS - BOTTOMS

400 DOZEN/HEMMED SLEEVES OR POCKETS IN 8 HOURS

AN OPERATOR LAYS THE PART TO AN EDGE GUIDE ON THE CONVEYOR. THE MODEL AAC-111 AUTOMATICALLY TRIMS THE EDGE, FORMS THE HEM, SEWS IT, CUTS THE THREAD CHAIN, FOLDS THE SLEEVE IN HALF AND STACKS THE FINISHED PARTS.

- **ELECTRIC MOTOR & CONTROLS**
- **RELIABLE EDGE TRIMMER**
- I FOLD & STACK OR STACK ONLY
- STACKER AVAILABLE FOR BOTTOM HEMMING
- REINFORCING TAPE OR LINING IN HEM ALSO AVAILABLE



MODEL AAC-111

Video tape available FREE upon request

Call The "Sudden Service" Company for more information and all your folder and attachment needs.

ATLANTA ATTACHMENT COMPANY
401 Industrial Park Drive / Lawrenceville, GA 30245
(404) 963-7369 FAX (404) 963-7641

ATLANTA ATTACHMENT INTERNATIONAL 2007 NW 79th Ave. / Miami, FL 33122 (305) 559-2611 FAX (305) 559-2566

MODEL AAC-111

AUTOMATIC TWO NEEDLE SLEEVE HEMMER

DESCRIPTION: An electronically controlled workstation consisting of a

conveyorized downturn hemming apparatus with two or three needle bottom coverstitch sewing head, electronic motor, automatic edge trim and cut apart, and self contained waste

disposal.

OPERATION: The operator places parts to an edge guide and initiates sewing.


The unit will continue sewing as long as parts are placed on the conveyor within a specific distance. The sew cycle will stop if the operator fails to position the next part, thereby reducing thread waste. Average production on sleeves is 350-400 Dozen pair per 8 hour day. Optional elements include stacker, fold in half and

stack, and bottom hem stacking modules.

MACHINE CLASS: W & G 664 YAMATO VC 2700

OPTIONS: Stacker, Fold in half and stack, and bottom hem stacking





406



Video tape available FREE upon request

Call The "Sudden Service" Company for more information and all your folder and attachment needs.

ATLANTA ATTACHMENT COMPANY

401 Industrial Park Drive / Lawrenceville, GA 30245 (404) 963-7369 FAX (404) 963-7641

ATLANTA ATTACHMENT INTERNATIONAL


THE FAST TRACK TO HIGH SPEED AUTOMATIC TWO NEEDLE COVERSTITCH HEMMING !!!!

A tlanta Attachment Company's High Speed Automatic Two Needle

Coverstitch Hemming

Workstation is available for sleeves and pockets or as a combination unit for sleeves, pockets and bodies complete with stacking capability for all. A high speed fold in half stacker for sleeves is also available.

Our simple to maintain and operator friendly design assures that your company can quickly be on the fast track to consistently higher quality and higher production.



Model AAC113

Model AAC113

Choose our basic Model AAC111 pocket/sleeve hemmer, add our picker stacker, fold in half stacker, return conveyor, or any combination. For more versatility, choose our Model AAC113 (shown) for sleeves/pockets/bodies complete with combination picker stacker, add our fold in half stacker with return conveyor. Our Modular design allows you the flexibility to pick and combine components, giving you a custom system that best meets your requirements without paying a custom price.


Video tape available FREE upon request

Call The "Sudden Service" Company for more information and all your folder and attachment needs.

ATLANTA ATTACHMENT COMPANY


401 Industrial Park Drive / Lawrenceville, GA 30245 (404) 963-7369 FAX (404) 963-7641

ATLANTA ATTACHMENT INTERNATIONAL




OPTION #1

BASIC TWO NEEDLE COVERSTITCH HEMMER FOR SLEEVES AND POCKETS. NO STACKER.




OPTION #2

TWO NEEDLE COVERSTITCH HEMMER W/FOLD IN HALF STACKING ONTO EXISTING CONVEYOR.




OPTION #3


TWO NEEDLE COVERSTITCH HEMMER W/FOLD IN HALF STACKING ONTO RETURN CONVEYOR.



TWO NEEDLE COVERSTITCH HEMMER W/PICK AND STACK WITH RETURN CONVEYOR.




TWO NEEDLE COVER STITCH HEMMER W/FOLD IN HALF, PICK AND STACK WITH RETURN CONVEYOR. EITHER STACKER MAY BE USED AS NEEDED.




OPTION #6

COMBINATION TWO NEEDLE COVERSTITCH HEMMER FOR SLEEVES, POCKETS AND BODIES W/PICK AND STACK AND RETURN CONVEYOR



OPTION #7

COMBINATION UNIT W/PICK AND STACK WITH RETURN CONVEYOR AND FOLD IN HALF. EITHER STACKER MAY BE USED AS NEEDED.



OPTION #8

COMBINATION UNIT W/PICK AND STACK WITH RETURN CONVEYOR AND FOLD IN HALF WITH RETURN CONVEYOR. EITHER STACKER MAY BE USED AS NEEDED.


CHOOSE THE SYSTEM THAT MEETS YOUR REQUIREMENTS AND PUT OUR TECHNOLOGY TO WORK FOR YOU.

CALL FOR FURTHER INFORMATION AND OUR VIDEO.

ATLANTA ATTACHMENT COMPANY

401 Industrial Park Drive / Lawrenceville, GA 30245 (404) 963-7369 FAX (404) 963-7641

ATLANTA ATTACHMENT INTERNATIONAL



ELASTIC METERING DEVICE

The "SUDDEN SERVICE"® Company can supply our AP-17 Upper or AP-18 Lower Metering Device from stock. It can be installed by your maintenance personnel in approximately 30 minutes.

AP-17

The advantages are:

- Consistent measurements
- Greater production
- Quality garments

- Low cost
- Up to 2½" elastic may be used
- Gear belt drive, no slip



- machines
- Zero-max drive eliminates the overthrow and inconsistent measurements found in clutch-type metering devices
- Maximum speed of the machine may be utilized

U. Valentiación

AP-18

Call The "SUDDEN SERVICE"® Company for more information and all your folder and attachment needs.

Call The "Sudden Service" © Company for more information and all your folder and attachment needs.

ATLANTA ATTACHMENT COMPANY 401 Industrial Park Drive / Lawrenceville, GA 30245 (404) 963-7369 FAX (404) 963-7641 ATLANTA ATTACHMENT INTERNATIONAL 2007 NW 79th Ave. / Miami, FL 33122 (305) 559-2611 FAX (305) 559-2566


DON'T LET PLUNGING NECKLINES RESULT IN





V-NECKS, ROUND COLLARS, BOTTOM BANDS, CUFFS, ETC., CAN BE ATTACHED WITH THE AP-22 VARIABLE SPEED METERING DEVICE FROM ATLANTA ATTACHMENT COMPANY.

Our attachment dispenses collar, cuff or bottom band tape to an overlock machine from a roll with the desired tension, or without any tension at all.



- * Sweetheart collars with both shoulders closed, label and collar set in one operation.
- * Round collar shirts with one shoulder open, label and collar set in one operation.
- * Adjustable folder accepts rolls cut 2"-10". Eliminates waste (cut too narrow, cut too wide)
- * Cuff/collar measurements consistent.
- * Swings out for machine threading and maintenance.
- * Installs in 45 minutes on any overlock.
- * Training time reduced.
- * Improves quality of the garment.
- * Low purchase price = quick pay back

Contact us today for a demonstration in our showroom using your material.



Video tape available FREE upon request

Call The "Sudden Service" Company for more information and all your folder and attachment needs.


ATLANTA ATTACHMENT COMPANY

401 Industrial Park Drive / Lawrenceville, GA 30245 (404) 963-7369 FAX (404) 963-7641

ATLANTA ATTACHMENT INTERNATIONAL

EQUICKER

Collars, Cuffs and Waistbands




The Electronic Rib Knit Tape Feeder not only makes collars, cuffs and waistbands faster, it also makes them better. Now you can automatically set any degree of tension and get the same measurement every time.

The Electronic Rib Knit Tape Feeder:

- Meters the fabric to produce consistently uniform sizing
- # Requires minimal operator training
- Installs in less than one hour on any overlock

MODEL AP22E



Video tape available FREE upon request

Call The "Sudden Service" Company for more information and all your folder and attachment needs.

ATLANTA ATTACHMENT COMPANY

401 Industrial Park Drive / Lawrenceville, GA 30245 (404) 963-7369 FAX (404) 963-7641

ATLANTA ATTACHMENT INTERNATIONAL

IF YOUR PLY SHIFT FEEDING PROBLEMS

ARE BIG

SMALL




Atlanta Attachment Company has the answer with our Model AP-39 Belt Feeding System.

- Plies feed out evenly
- Starts plies evenly on heavy and bulky material
- Cross seam and piping without short stitches and damage to the material
- Eliminates pucker and distortion caused by presser foot drag
- Full speed of machine may be utilized
- Top feed has an infinite speed range
- Presser foot swings out and raises normally
- Sews contours and curves. Standard shirring or cord piping attachment may be used.



OR COMPLEX



- Top belt feed does not interfere with machine threading.
- Available for all brands of overlock and safety stitch machines
- O Delivery: 7 10 days

Video tape available FREE upon request

Call The "Sudden Service"® Company for more information and all your folder and attachment needs.

ATLANTA ATTACHMENT COMPANY

401 Industrial Park Drive / Lawrenceville, GA 30245 (404) 963-7369 FAX (404) 963-7641


ATLANTA ATTACHMENT INTERNATIONAL

CALL FOR OUR FULL LINE CATALOG

Our improved automatic Knit Cuff Setting Stations will produce cuffed sleeves faster than ever!

Rib knit savings returns investment in less than 12 months.

Production is up to 550 dozen pair per 8-hour day.



MODEL AP-23 Top Delivery (patented)

- Automatic start and stop
- Automatic piece count
- Microprocessor controlled
- Electronic metering
- Overlock or coverstitch



MODEL AP-232 Bottom Delivery (patented)

- Automatic bundle return
- Top or bottom tape delivery
- Automatic cut-apart
- Superior stacking speeds up next operation

- Video Tape Available FREE Upon Request -

Call the "Sudden Service" Company for more information on all your folder and attachment needs.

Atlanta Attachment Company

401 Industrial Park Drive • Lawrenceville, GA 30245 (404) 963-7369 • Fax (404) 963-7641

Atlanta Attachment International

2007 NW 79th Avenue • Miami, FL 33122 (305) 559-2611 • Fax (305) 559-2566

MODEL AP-23/AP232

AUTOMATIC RIB KNIT CUFF SETTING STATION


DESCRIPTION:

An electronically controlled cuff setting station, this unit is designed to form rib knit tape up to 8 inches wide into a cuff band and sew the band onto the sleeves. The station consists of an interchangeable sewing head and power console, tape feeding device, automatic cut apart knife, conveyor with automatic stacker, and a bundle return conveyor. An optional air lift table and/or loading conveyor are available. Rolled or festooned rib knit tape may be fed from top or bottom.

OPERATION:

The operator places the sleeve at the presser foot and the material is sensed, sewing is then automatically started. The trailing edge of the sleeve is sensed and the cuff is cut apart. The finished sleeve is carried to the stacker by the upper conveyor. The operator loads sleeves continuously. If for any reason another piece is not loaded, the sewing will automatically stop, saving material. At the completion of a bundle, a manual switch may be pressed to return the bundle to the operator.

MACHINE CLASS: All industrial safety, overlock or coverstitch machines.









MODEL AP 232 (LOWER METERING)


MODEL AP23 (TOP METERING)

Video tape available FREE upon request

Call The "Sudden Service" Company for more information and all your folder and attachment needs.

ATLANTA ATTACHMENT COMPANY

401 Industrial Park Drive / Lawrenceville, GA 30245 (404) 963-7369 FAX (404) 963-7641 ATLANTA ATTACHMENT INTERNATIONAL



MORE CUFFS . . . LESS COST

Reduced labor and save fabric in your leg cuffing operation with Atlanta Attachment's Model AP-24. The Model AP-24 is a precision built workstation that consistently delivers top quality cuffs on pant legs.

- # Sews more than 350 dozen garments per 8 hour day
- indexes bundles automatically
- # Requires minimal operator training
- Available for overlock and coverstitch machines

The workstation features a variable speed tape feeder that ensures correct gathering and minimum side tape trim of 1/8".

Tandem variable speed pullers and precise automatic cut apart saves tape between pieces.

Call us today for "SUDDEN SERVICE" ® on the Model AP-24



Model AP-24

Video tape available FREE upon request

Call The "Sudden Service" Company for more information and all your folder and attachment needs.

ATLANTA ATTACHMENT COMPANY

401 Industrial Park Drive / Lawrenceville, GA 30245 (404) 963-7369 FAX (404) 963-7641

ATLANTA ATTACHMENT INTERNATIONAL

MODEL AP-24

AUTOMATIC RIB KNIT LEG CUFF SETTING STATION

DESCRIPTION: An electronically controlled cuff setting station. This unit is designed to form

rib knit tape up to 8 inches wide into a cuff band and sew the band onto the legs. The station consists of a sewing head and power console, tape feeding device, automatic cut apart knife, tandem variable speed pullers and ergo-


nomic tabling with pneumatic bundle clamp.

OPERATION: The operator places the leg at the presser foot and the material is sensed,


sewing is then automatically started. The trailing edge of the leg is sensed and the cuff is cut apart. The finished leg then falls from the rear of the unit. The operator loads legs continuously. if for any reason another piece is not loaded,

the sewing will automatically stop, saving material.

OTHER MODELS: AP-23, 1535E, 1536









Video tape available FREE upon request

Call The "Sudden Service" Company for more information and all your folder and attachment needs.

ATLANTA ATTACHMENT COMPANY

401 Industrial Park Drive / Lawrenceville, GA 30245 (404) 963-7369 FAX (404) 963-7641

ATLANTA ATTACHMENT INTERNATIONAL



NO IFS -- NO ANDS -- NO KNOTS WE GUARANTEE IT!!!!

Video tape available FREE upon request

Call The "Sudden Service" Company for more information and all your folder and attachment needs.

ATLANTA ATTACHMENT COMPANY

401 Industrial Park Drive / Lawrenceville, GA 30245 (404) 963-7369 FAX (404) 963-7641

ATLANTA ATTACHMENT INTERNATIONAL

MODEL AP26S

AUTOMATIC BACKLATCH SYSTEM

DESCRIPTION:


A pneumatically controlled and operated system consisting of a custom patented throat plate, chain cutting knife, vacuum generator and control package. This unit draws the overlock chain into and through the patented hollow chaining tongue and allows it to be sewn into a seam as the seam is sewn. The chain cutting knife is activated by a knee or heel switch at the completion of sew.

OPERATION:

The operator folds and places the part to be sewn at or under the presser foot in normal fashion. As the sew threadle is depressed, the automatically controlled vacuum generator draws the chain from the previous piece toward the operator and the chain is sewn into the seam. Upon completion of sew, the operator draws the piece to the rear of the unit and cuts the chain by depressing a knee or heel switch. The amount of chain which remains is automatically drawn into the chaining tongue to form the backlatch for the next piece.

MACHINE CLASS: Most industrial overlocks.

OTHER MODELS: AP26, AP261, AP26Q







Video tape available FREE upon request

Call The "Sudden Service" Company for more information and all your folder and attachment needs.

ATLANTA ATTACHMENT COMPANY

401 Industrial Park Drive / Lawrenceville, GA 30245 (404) 963-7369 FAX (404) 963-7641

ATLANTA ATTACHMENT INTERNATIONAL

SLEEVE CLOSING STATION WITH AUTOMATIC BACKLATCH DOUBLES PRODUCTION !!!

100%

Production increase compared to manual backlatch reported by major installations

The operator takes a hemmed or cuffed sleeve from a stack and folds in half lengthwise. As the sleeve is positioned under the presser foot, an electric eye detects the leading edge and the automatic cycle is initiated. The sleeve is closed with automatic backlatch, the trailing edge is sensed and the thread chain is cut as the part is carried rearward and stacked. The sleeve is released as soon as sewing begins which allows the operator to pick up the next part in preparation for the next cycle.



Model AP261



- Automatic Backlatch (Patented)
- Automatic Ply Alignment and guiding
- Automatic Cycle
- Automatic Chain Cutter
- Automatic Thread saver
- Automatic Takeaway and Stack
- Minimal Operator Training

Video tape available FREE upon request

Call The "Sudden Service" Company for more information and all your folder and attachment needs.

ATLANTA ATTACHMENT COMPANY

401 Industrial Park Drive / Lawrenceville, GA 30245 (404) 963-7369 FAX (404) 963-7641

ATLANTA ATTACHMENT INTERNATIONAL

MODEL AP261

AUTOMATIC BACKLATCH SLEEVE CLOSING STATION US & Foreign Patents Apply

DESCRIPTION:

An electronically controlled sleeve closing station consisting of an integrated stand, stand up work table, pneumatic edge guide system, electronic controls, and overlock sewing head with automatic backlatch (patented), chain cutter, take away conveyor and stacker. This unit is designed to handle sleeves in a wide range of sizes and materials without adjustment.

OPERATION:


The operator takes a hemmed or cuffed sleeve from a stack and folds the part in half lengthwise to roughly align the edges. She then aligns the cuff ends and loads the two plys into the pneumatic edge guide. As the sleeve is positioned under the presser foot, an electric eye detects the leading edge and the automatic cycle is initiated. The sleeve is closed with automatic backlatch, the trailing edge is sensed and the thread chain is cut as the part is carried rearward and stacked. The sleeve may be released as soon as sew begins allowing the preparation of the next part during the sew cycle.

MACHINE CLASS: Most Industrial Overlocks.

OTHER MODELS: AP26, AP26SB, AP261T







Video tape available FREE upon request

Call The "Sudden Service" Company for more information and all your folder and attachment needs.

ATLANTA ATTACHMENT COMPANY

401 Industrial Park Drive / Lawrenceville, GA 30245 (404) 963-7369 FAX (404) 963-7641 ATLANTA ATTACHMENT INTERNATIONAL


Sleeves

Back-Tack Sew

-TURN-

And Stack AUTOMATICALLY !!

MODEL AP-261T



Patented US - Foreign Patents Pending

- Auto Start
- Auto Back- tack
- Auto Edge Guide
- Auto Thread Saver
- Auto Sleeve Turning
- O Auto Stack

Video tape available FREE upon request

Call The "Sudden Service" Company for more information and all your folder and attachment needs.

ATLANTA ATTACHMENT COMPANY

401 Industrial Park Drive / Lawrenceville, GA 30245 (404) 963-7369 FAX (404) 963-7641

ATLANTA ATTACHMENT INTERNATIONAL

MODEL AP261T

AUTOMATIC BACKLATCH SLEEVE CLOSING STATION US & Foreign Patents Pending

DESCRIPTION: An electronically controlled sleeve closing station consisting of an integrated

stand, stand up work table, pneumatic edge guide system, electronic controls, and overlock sewing head with automatic backlatch (patented), chain cutter, takeaway conveyor, vacuum sleeve turner and stacker. This unit is designed to bredle sleeves in a wide mage of sizes and materials without adjustment

handle sleeves in a wide range of sizes and materials without adjustment.

OPERATION: The operator takes a hemmed or cuffed sleeve from a stack and folds the part in half lengthwise to roughly align the edges. She then aligns the cuff ends and

loads the two plys into the pneumatic edge guide. As the sleeve is positioned under the presser foot, an electric eye detects the leading edge and the automatic cycle is initiated. The sleeve is closed with automatic backlatch, the trailing edge is sensed and the thread chain is cut as the part is carried rearward, vacuum turned and stacked. The sleeve may be released as soon as sew


begins allowing the preparation of the next part during the sew cycle.

MACHINE CLASS: Most Industrial Overlocks.

OTHER MODELS: AP26, AP26S, AP26Q







Video tape available FREE upon request


Call The "Sudden Service" Company for more information and all your folder and attachment needs.

ATLANTA ATTACHMENT COMPANY

401 Industrial Park Drive / Lawrenceville, GA 30245 (404) 963-7369 FAX (404) 963-7641

ATLANTA ATTACHMENT INTERNATIONAL

LEG CLOSING COST CUT IN HALF!




100%

Production Increase compared to manual backtack reported by major installations.

Automatic Backlatch Leg Closing Station produces the highest quality inseams.

Production 180/200 dozen pair per 8-hour day.

- Automatic backlatch (patented)
- Automatic ply alignment
- Automatic edge guiding
- Automatic cycle
- Automatic chain cutter
- Automatic thread saver
- Automatic takeaway & stack
- Minimal operator training
- Elastic hemmed or cuffed legs



MODEL AP-265 (patented)

- Video Tape Available FREE Upon Request -

Call the "Sudden Service" Company for more information on all your folder and attachment needs.

Atlanta Attachment Company

401 Industrial Park Drive • Lawrenceville, GA 30245 (404) 963-7369 • Fax (404) 963-7641

Atlanta Attachment International

Model AP265

Automatic Backlatch Leg Closing Station

US & Foreign Patents Apply

Description:

An electronically controlled leg closing station consisting of an integrated stand, stand-up work table, pneumatic edge guide system, electronic controls, and overlock sewing head with automatic backlatch (patented), chain cutter, take-away conveyer and stacker. This unit is designed to handle legs in a wide range of sizes and materials without adjustment.


Operation:


The operator takes a hemmed or cuffed leg from a stack and folds the part in half lengthwise to roughly align the edges. She then aligns the cuff ends and loads the two plies into the pneumatic edge guide. As the leg is positioned under the presser foot, an electric eye detects the leading edge and the automatic cycle is initiated. The leg is closed with automatic backlatch, the trailing edge is sensed and the thread chain is cut as the part is carried rearward and stacked. The part may be released as soon as sew begins, allowing the preparation of the next part during the sew cycle.

Machine Class: Most Industrial Overlocks.

Other Models: AP26, A26SB, AP261, AP261T







Video tape available FREE upon request

Call The "Sudden Service" Company for more information and all your folder and attachment needs.

ATLANTA ATTACHMENT COMPANY

401 Industrial Park Drive / Lawrenceville, GA 30245 (404) 963-7369 FAX (404) 963-7641

ATLANTA ATTACHMENT INTERNATIONAL


ELASTIC METERING RIGHT SIZE !!! FIRST TIME !! EVERY TIME !!

OUR MODEL AP-28 ELECTRONIC METERING DEVICE OFFERS:

- EASY DIGITAL SETTING
- NON SLIP METERING HEAD
- UPPER OR LOWER METERING
- SIMPLE INSTALLATION
- AVAILABLE FOR ALL MACHINES
- REDUCES REPAIRS



MODEL AP-28 Electronic metering device upper mounted



MODEL AP-28 Electronic metering device lower mounted

The Model AP-28 Electronic Metering Device is easily programmed for different stretch values and incorporates a stepping motor drive with clutchless metering head to insure accurate size control.


Video tape available FREE upon request

Call The "Sudden Service" Company for more information and all your folder and attachment needs.

ATLANTA ATTACHMENT COMPANY

401 Industrial Park Drive / Lawrenceville, GA 30245 (404) 963-7369 FAX (404) 963-7641

ATLANTA ATTACHMENT INTERNATIONAL



Variable Speed Close-Coupled

PULLERS

The "SUDDEN SERVICE"® Company can retrofit a close-coupled variable speed puller to your machine. (AP-35 shown.)

Pullers may be top drive, bottom drive, or both top and bottom, depending on the machine class and operation.

Special rollers are available: steel, rubber, urethane or fiber. They may be diamond knurled, straight knurled, fluted or smooth.

Synchronized style pullers are available.

Call The "SUDDEN SERVICE"® Company for more information and all your folder and attachment needs.


Call The "Sudden Service" © Company for more information and all your folder and attachment needs.

ATLANTA ATTACHMENT COMPANY 401 Industrial Park Drive / Lawrenceville, GA 30245 (404) 963-7369 FAX (404) 963-7641 ATLANTA ATTACHMENT INTERNATIONAL 2007 NW 79th Ave. / Miami, FL 33122 (305) 559-2611 FAX (305) 559-2566

SCISSOR FREE SEWING ROOM ??

IT'S POSSIBLE WITH OUR MODEL AT116 PROGRAMMABLE FAST ACTION KNIFE


The model AT116 will cut continuous sewn material such as binding, tape, etc. without stopping the sewing machine. The unit may be programmed to provide flush cuts on either or both ends of a garment, leave tails for turn back and tack, form tie and apron strings, cut and sort belt loops, or any of six other operations or combinations. The multi-function feature allows an operator to perform up to four separate operations on a garment without having to reprogram between operations as program switching occurs automatically. Automatic stop is included to minimize material waste. Sequences, stitch count, and cut values are easily changed and stored on the keypad control with LCD digital readout.



APRON TIE STRINGS
BELT LOOP CUT AND COUNT
BINDING CUT APART
POCKET TAPING



BINDING SAVER
CAP SWEATBANDS
CONTINUOUS CUTS



ELIMINATES MANUAL PULL BACK AND CUT

AVAILABLE FOR FLAT OR CYLINDER BED MACHINES

IN PLANT INSTALLATION (2 HOURS)

SWITCH TO DIFFERENT MACHINES

DOES NOT REQUIRE ELECTRONIC MOTOR



Video tape available FREE upon request

Call The "Sudden Service" Company for more information and all your folder and attachment needs.

ATLANTA ATTACHMENT COMPANY

401 Industrial Park Drive / Lawrenceville, GA 30245 (404) 963-7369 FAX (404) 963-7641

ATLANTA ATTACHMENT INTERNATIONAL

MODEL AT116

PROGRAMMABLE FAST ACTION KNIFE

DESCRIPTION:


An electronically controlled pneumatic scissor type knife designed to cut apart and/or trim continuous sewn material such as binding, belt loops, waistbands, etc., up to 1 1/2 inches wide. This unit consists of a fast action toggle link knife, a keypad programmable control box with LCD read-out, edge sensing and stitch count capability, and automatic stop to prevent material waste.


OPERATION:

The operator selects any programmed function by pressing numbers on the keypad (the stitch count and cut functions are clearly visible on the LCD readout). Each sequence may be inspected or altered by following the program sequence. For example, program one, cut leading and trailing edge with automatic binding saver: Material is inserted into a binder and depressing the sew treadle initiates sewing, a reflective eye senses the leading edge and the binding is cut after a preset number of stitches without stopping. Sewing continues until the trailing edge is sensed and after counting the preset number of stitches the binding is cut and sewing is automatically stopped to prevent material waste. Any number of cut and trim values may be entered and retained for different styles and sizes or may be combined in the multi function feature of Function 10.

MACHINE CLASS: Most industrial machines

APPLICATIONS: Binding, Taping, Belt loops, Apron strings, Cap sweat bands, collarettes, etc.





Video tape available FREE upon request


Call The "Sudden Service" Company for more information and all your folder and attachment needs.

ATLANTA ATTACHMENT COMPANY


401 Industrial Park Drive / Lawrenceville, GA 30245 (404) 963-7369 FAX (404) 963-7641

ATLANTA ATTACHMENT INTERNATIONAL

DO YOU NEED CUT-APART IN THE MIDDLE OF YOUR GARMENT?



- Pneumatic operation with safety device
- Controls may be pneumatic, electric or automatic
- Long lasting, low cost round blades
- Effective cutting width to suit your operation
- Custom designed to fit most industrial machines





Call The "Sudden Service" Company for more information and all your folder and attachment needs.

ATLANTA ATTACHMENT COMPANY
401 Industrial Park Drive / Lawrenceville, GA 30245
(404) 963-7369 FAX (404) 963-7641

ATLANTA ATTACHMENT INTERNATIONAL 2007 NW 79th Ave. / Miami, FL 33122 (305) 559-2611 FAX (305) 559-2566

DON'T LET YOUR BUSINESS SLIP AWAY . . .





THE WALKER TAPE FEEDER CAN HELP YOU ELIMINATE EMBARRASSING MOMENTS LIKE THIS.

The Walker Tape Feeder is a dispensing device for all types of zipper chain, lace, elastic or other trims.

The tape feeder unit keeps slack in trim and delivers it to the sewing machine in a relaxed condition. This eliminates inconsistent measurements for garments with elastic and increases production because there is no wasted trim or time. So, stop worrying about YOUR problems and start using OUR solution.

Call or write for more information on the time-tested (25 years), dependable WALKER TAPE FEEDER.

Adaptable to all sewing machines. (Available in 110 Volt or 220 Volt.)



Walker Fabric Controls is a wholly owned subsidiary of ATLANTA ATTACHMENT COMPANY

Call The "Sudden Service" © Company for more information and all your folder and attachment needs.

ATLANTA ATTACHMENT COMPANY

401 Industrial Park Drive / Lawrenceville, GA 30245 (404) 963-7369 FAX (404) 963-7641


ATLANTA ATTACHMENT INTERNATIONAL


KNIT SHIRT MANUFACTURERS

SET AND TAPE COLLARS IN ONE OPERATION

Our 273-4 collar set and tape system provides a seam covering tape tapered on both ends to reduce bulk in the placket. The 273-4 is available with a special (patented) roller foot to insure positive taping start.

This system allows a manufacturer to finish shirts and private label prior to shipping







PATENTED



Contact us today for more information on our Model 273-4 Collar Setting and Taping System or make an appointment for a demonstration on your shirts in our showroom. A video tape is available FREE upon request.

Call The "Sudden Service" ® Company for more information and all your folder and attachment needs.

ATLANTA ATTACHMENT COMPANY 401 Industrial Park Drive / Lawrenceville, GA 30245 (404) 963-7369 FAX (404) 963-7641

ATLANTA ATTACHMENT INTERNATIONAL 2007 NW 79th Ave. / Miami, FL 33122 (305) 559-2611 FAX (305) 559-2566

MODEL 273-4

COLLAR SETTING AND TAPING

DESCRIPTION:

A pneumatically controlled collar taping folder designed to shift to the left to insert the tape under the presser foot. Upon signal, the folder shifts to the right to allow the tape to be cut by the edge trimming knife. The tape does not extend to the edge of the corners of the placket on either end. There fore, when the placket is turned, there is no bulk or additional thickness. This improves the overall appearance and reduces problems in the button hole and button sew operations.

OPERATION:


The collar is aligned to the shirt body. The placket is folded over the leading edge of the collar and placed under the foot. The pieces are sewn approximately 1/2 inch and a touch of the knee switch shifts the folder to the left and taping starts. As the trailing edge of the collar nears the machine, the operator folds the placket over the collar and touches the knee switch. At this point the folder shifts to the right and the tape is cut by the edge trimming knife. (See illustration below)

MACHINE CLASS: Most industrial overlocks

OPTIONS: Patented roller presser foot, Automatic foot lift







Video tape available FREE upon request

Call The "Sudden Service" ® Company for more information and all your folder and attachment needs.

ATLANTA ATTACHMENT COMPANY

401 Industrial Park Drive / Lawrenceville, GA 30245 (404) 963-7369 FAX (404) 963-7641

ATLANTA ATTACHMENT INTERNATIONAL

THE LIGHT AT THE END OF YOUR


TUNNEL ELASTIC

IS OUR MODEL 350-12 CLEAN FINISH ELASTIC WAISTBAND STATION.

QUALITY - PRODUCTION - SAFETY


The unique spiral folder completely deskills the difficult tunnel elastic operation. An operator merely aligns the garment to an edge guide to sew a tight wrapped clean finish waistband





- MINIMIZES C.T.D. RISK
- IMPROVES QUALITY
- INCREASES PRODUCTION
- **ACCURATE SIZING**
- # REDUCE ELASTIC WASTE
- AUTOMATIC CUT APART
- # EASY OPERATION
- MINIMIZE TRAINING
- SEAMS GO THROUGH WITHOUT HANGING

MODEL 350-12



Video tape available FREE upon request

Call The "Sudden Service" ® Company for more information and all your folder and attachment needs.

ATLANTA ATTACHMENT COMPANY

401 Industrial Park Drive / Lawrenceville, GA 30245 (404) 963-7369 FAX (404) 963-7641

ATLANTA ATTACHMENT INTERNATIONAL

MODEL 350-12

CLEAN FINISH ELASTIC WAISTBAND STATION

DESCRIPTION: An electro-pneumatic clean finish waistband station consisting of a multi needle

sewing machine*, motor, stand, spiral elastic guide (350-12), three blade rotary

knife (for cut apart) and variable speed conveyor and metering device.

(*= Sewing head provided by customer)

OPERATION: The operator presents the flat garment to the edge guide and into the spiral

folder. An electric eye senses the leading edge and starts the sew cycle. The operator holds the garment against the edge guide until completely into the folder. The electric eye senses the trailing edge and stops the sew cycle leaving the proper spacing for the next garment to eliminate waste. The operator then picks up the next garment and repeats, the conveyor will carry pieces to the

knife for automatic cut apart and then to the disposal area.

MACHINE CLASS: All industrial multi needle chainstitch machines. (Special gauge parts are

available)

OPTIONS: Components may be purchased separately (A) Spiral elastic guide and folder


(A) Spiral elastic guide and folder(B) Variable speed metering device(C) Three blade knife (cut apart)


(D) Conveyor stand length 40" (60" available)

(E) Thread break detectors

(F) Elastic detectors







Video tape available FREE upon request

Call The "Sudden Service" ® Company for more information and all your folder and attachment needs.

ATLANTA ATTACHMENT COMPANY

401 Industrial Park Drive / Lawrenceville, GA 30245 (404) 963-7369 FAX (404) 963-7641

ATLANTA ATTACHMENT INTERNATIONAL

TRY CLEAN FINISH ELASTIC WAISTBANDS WITH OUR



MODEL 350-25



- NO MORE TUGGING !!!
- NO MORE TWISTING !!!
- NO MORE C.T.D. PROBLEMS RELATED TO THE OLD WAY OF FORMING CLEAN FINISH WAISTBANDS.
- ELIMINATE COSTLY REPAIRS

YOU GET ELASTIC WAISTBANDS THAT ARE:

> CLEAN... TIGHT..... UNIFORM..... **EVERY TIME !!!**

Ask about our trial plan.

Video tape available FREE upon request


Call The "Sudden Service" © Company for more information and all your folder and attachment needs.

ATLANTA ATTACHMENT COMPANY

401 Industrial Park Drive / Lawrenceville, GA 30245 (404) 963-7369 FAX (404) 963-7641

ATLANTA ATTACHMENT INTERNATIONAL

PUT THE PUCKER



MODEL 1375

VIBRATING BINDER

Synchronous feed eliminates pucker and undulations in stretch bindings.



ELIMINATE CUPPING



ELIMINATE WAVES

WITH

WITHOUT

401 INDUSTRIAL PARK DR



404/963-7369


LAWRENCEVILLE, GA. 30245


SPOT ELASTIC WAISTBANDS

GOT YOU ON THE SPOT?

OUR MODEL 425-14 MAKES SIDE SPOT AND HALF ELASTIC WAISTBANDS EASY AND PROFITABLE

ELIMINATES ELASTIC HANDLING
INSERT AND METER AUTOMATICALLY
CUT AND REINSERT ON COMMAND
3" SPOT TO FULL BACK CAPABILITY
ADAPTABLE TO MOST MACHINES
TOTALLY PNEUMATIC CONTROLS
ELASTIC WIDTH UP TO 2 INCHES







Video tape available FREE upon request

Call The "Sudden Service" ® Company for more information and all your folder and attachment needs.

ATLANTA ATTACHMENT COMPANY

401 Industrial Park Drive / Lawrenceville, GA 30245 (404) 963-7369 FAX (404) 963-7641

ATLANTA ATTACHMENT INTERNATIONAL

MODEL 425-14

SPOT ELASTIC ATTACHMENT

DESCRIPTION:

A semi-automatic device designed to produce a spot or partial elastic waist-band. The unit consist of upper and lower folders, or upper downturn hemmer and lower cover band folder, elastic feed and tension mechanism, and elastic cutting knife. Elastic may be inserted between two piece waistband or top downturn hemmer and bottom band.


OPERATION:


The operator heels the treadle to lift the presser foot, presents the garment under the foot and sews to a predetermined point (notch, mark, pocket hem, etc.), pressing the knee switch activates the feed cycle which momentarily lifts the presser foot and tension bar for elastic insertion. As sewing continues the elastic is automatically metered. As the point where gathering is to end is neared (approximately 2 inches), touching the toe switch cuts the elastic, continuation of sew draws the elastic from the metering device as the flat band is completed.


MACHINE CLASS: Most industrial multi needle machines.

OPTIONS: Garment cut apart knife, partial or fully automated with electronic motor

and controls.







Video tape available FREE upon request


 $Call\ The\ "Sudden\ Service" \ \&\ Company\ for\ more\ information\ and\ all\ your\ folder\ and\ attachment\ needs.$

ATLANTA ATTACHMENT COMPANY

401 Industrial Park Drive / Lawrenceville, GA 30245 (404) 963-7369 FAX (404) 963-7641

ATLANTA ATTACHMENT INTERNATIONAL

CONVERT YOUR 39500 SERGER TO A CYLINDER ARM



Video tape available FREE upon request

Call The "Sudden Service" © Company for more information and all your folder and attachment needs.

ATLANTA ATTACHMENT COMPANY

401 Industrial Park Drive / Lawrenceville, GA 30245 (404) 963-7369 FAX (404) 963-7641


ATLANTA ATTACHMENT INTERNATIONAL

MODEL 1276U70

CYLINDER ARM CONVERSION KIT FOR UNION SPECIAL 39500

----- RELATED ACCESSORIES -----

-1276U70C4 PNEUMATIC FRONT TENSION ROLLER ASSEMBLY



USES:

BENEFITS

• Faster

CUFFS AND COLLARS

- Lowers skill requirements
- The pneumatic roller stretches the cuff and relieves stress on the operators wrist thereby addressing C.T.D. problems associated with small circular setting

-1279HD CIRCULAR ROLLER ASSMEBLY

USES:

CUFFS, COLLARS

AND BOTTOM


BENEFITS

• Faster

- Easier alignment
- Evenly distributes gather around the waist of the garment
- Relieves stress relating to C.T.D.

BANDS

-1276U70B5 HEAVY DUTY ROLLERS FOR LARGE BANDS



USES:

LARGE ELASTIC
WAISTBANDS OR
SWEATSHIRT BOTTOM
BANDS

BENEFITS

- Faster
- Easier alignment
- Evenly distributes gather around the waist of the garment
- Relieves stress relating to C.T.D.

Video tape available FREE upon request

Call The "Sudden Service" ® Company for more information and all your folder and attachment needs.

ATLANTA ATTACHMENT COMPANY

401 Industrial Park Drive / Lawrenceville, GA 30245 (404) 963-7369 FAX (404) 963-7641

ATLANTA ATTACHMENT INTERNATIONAL

DON'T SWEAT CIRCULAR ELASTIC WAISTBANDS

Electro-pneumatic
attachment for sewing
pre-closed elastic loops
to circular garments with
power feed to start the
clean finish fold or
topstitching circular
panels with serged elastic.










- # Simple controls
- Low Maintenance
- # Ease of operation
- # Eliminate bulky seat seam
- # Adapts to existing machine
- # Reduces operator fatigue
- # Reduces skill factor
- # Reduces training
- Available with Model 1904 multi needle undertrimmer





TOPSTITCH SERGED ELASTIC

MODEL 1278-3

Video tape available FREE upon request

Call The "Sudden Service" © Company for more information and all your folder and attachment needs.

ATLANTA ATTACHMENT COMPANY

401 Industrial Park Drive / Lawrenceville, GA 30245 (404) 963-7369 FAX (404) 963-7641

ATLANTA ATTACHMENT INTERNATIONAL

MODEL 1278-4

CIRCULAR CLEAN FINISH WAISTBAND STATION

DESCRIPTION: An electro-pneumatic device consisting of expansion roller guides, two position

folder, power feed package and air control package designed to sew preclosed elastic loops inside a closed garment to produce a clean finish circular elastic


waistband.


OPERATION: The pre-sewn elastic loop is inserted inside the closed circular panel to a depth

equal to the width of the elastic plus 3/8" to 1/2" for fold under. The operator touches the air foot switch to collapse the guide rollers, heels the sew treadle to lift the presser foot. The garment is inserted over the rear roller, under the foot and over the front roller. Depress the air foot pedal to expand the roller. A touch of the knee switch shifts the clean finish folder to the right and the operator tucks the fold under material with the fingers of the right hand. A touch of the toe switch draws the garment through the folder 5 to 7 inches to assure a clean fold. The garment is sewn to the point where stitching began. A press of the knee switch opens the folder and allows sew over of the starting stitches. Heeling the treadle actuates the undertrimmer and footlift*. A touch of the air foot pedal collapses the rollers for unloading.

*Machines without undertrimmer will have foot lift and position only. Optional thread chopper or multineedle undertrimmer available.

AIR REQUIRED: .05 SCFM @ 60 PSI





Video tape available FREE upon request

Call The Sudden Service ® Company for more information and all your folder and attachment needs.

ATLANTA ATTACHMENT COMPANY


401 Industrial Park Drive / Lawrenceville, GA 30245 (404) 963-7369 FAX (404) 963-7641

ATLANTA ATTACHMENT INTERNATIONAL

AUTOMATIC CIRCULAR TOP STITCH

FOR ELASTIC WAIST BANDS

- Automatic Guiding
- Automatic Size Control
- Automatic Undertrimmer
- Automatic Unloading
- Tandem Operation





MODEL 1278-5

- Operator loads the circular garment with serged elastic over the rollers.
- Rollers expand pneumatically and the operator activates the automatic sew cycle.
- Sewing continues to a preset stitch count where sewing stops, undertrimming actuates, the guide rollers are collapsed and the garment is automatically unloaded.
- During the automatic sew cycle, the operator may load and start a second machine.

Video tape available FREE upon request

Call The "Sudden Service" Company for more information and all your folder and attachment needs.

ATLANTA ATTACHMENT COMPANY

401 Industrial Park Drive / Lawrenceville, GA 30245 (404) 963-7369 FAX (404) 963-7641

ATLANTA ATTACHMENT INTERNATIONAL

MODEL 1278-5

AUTOMATIC CIRCULAR ELASTIC TOP STITCH STATION

DESCRIPTION: An electronically controlled circular elastic waistband top stitching station.

The station consists of multi needle chainstitch sewing head with built in undertrimmer, set of easily adjustable expanding rollers, electronic control


module, electronic positioning motor, and a custom stand up table.

OPERATION: The operator places the waist of the garment around the collapsed rollers and

under the presser foot. Pressing the foot switch expands the rollers which stretches the waistband to the proper size for sewing. Pressing the "start" button lowers the presser foot and starts the sewing cycle. The control module counts stitches while sewing around the waistband and stops automatically with the required overlap, undertrimmer actuates, presser foot is raised, the guide rollers are collapsed and the garment is automatically unloaded and stacked. Size adjustments can easily be made by setting thumbwheel switches.

MACHINE CLASS: All industrial multi needle machines with built in undertrimmers.







Video tape available FREE upon request

Call The "Sudden Service" Company for more information and all your folder and attachment needs.

ATLANTA ATTACHMENT COMPANY

401 Industrial Park Drive / Lawrenceville, GA 30245 (404) 963-7369 FAX (404) 963-7641 ATLANTA ATTACHMENT INTERNATIONAL

AUTOMATIC CIRCULAR ELASTIC SETTING

for Serged Elastic Waistbands

- Automatic Guiding
- Automatic Stitch Counting
- Automatic Thread Trimmer
- Tandem Operation





1278-5S

- Operator loads circular elastic loop over rollers
- Operator loads circular garment over elastic and rollers
- Rollers expand pneumatically and operator activates automatic sew cycle
- Sewing continues to a preset stitch count where the sewn edge is moved from under the presser foot allowing the thread chain to be cut. Sewing stops and guide rollers collapse automatically
- During the automatic sew cycle, the operator may load and start a second machine

VIDEO TAPE AVAILABLE UPON REQUEST

Call The "Sudden Service" © Company for more information and all your folder and attachment needs.

ATLANTA ATTACHMENT COMPANY 401 Industrial Park Drive / Lawrenceville, GA 30245 (404) 963-7369 FAX (404) 963-7641

ATLANTA ATTACHMENT INTERNATIONAL 2007 NW 79th Ave. / Miami, FL 33122 (305) 559-2611 FAX (305) 559-2566

MODEL 1278-5S

AUTOMATIC CIRCULAR ELASTIC SETTING STATION

DESCRIPTION: An electronically controlled circular elastic loop setting station. This unit consists

of a 3 or 4 thread overlock head with vacuum trimmer. Easily adjustable expan-


sion rollers, electronic positioning motor & ergonomic stand-up tabling.

OPERATION: The operator places a pre-sewn elastic loop under the presser foot and over the

collapsed rollers. The circular garment is then loaded over the elastic loop and rollers—a touch of a toe switch expands the guide rollers and final parts alignment is made. A push of the start button drops the presser foot and roller and automatic sew begins. The sewn edge of the garment is shifted left and the roller is lifted after a pre-set stitch count. Sew continues to allow the chain to cut by the vacuum trimmer. Sewing stops and the presser foot is lifted as the guide rollers collapse automatically. A second unit is operated in the interim.

MACHINE CLASS: Cylinder arm top feed overlock.







Video tape available FREE upon request

Call The "Sudden Service" Company for more information and all your folder and attachment needs.

ATLANTA ATTACHMENT COMPANY

401 Industrial Park Drive / Lawrenceville, GA 30245 (404) 963-7369 FAX (404) 963-7641 ATLANTA ATTACHMENT INTERNATIONAL

BONUS BOTTOM BANDS

are in your future with our

Automatic Rib Knit Band Setting

Mew!

- Automatic guidance
- Automatic stack
- Tandem operation
- Improved quality
- Minimizes C.T.D. risk
- Reduces skill & training
- Even distribution of stretch
- Precise size control
- Production counter

Estimated production 3150 Bottom Bands per 8-hour day.



MODEL 1278-6 (patent pending)

This
Circular Rib Knit
Bottom Band Workstation
operates as a tandem unit.

The microprocessor controlled unit automatically guides the band and shirt during the sewing cycle.

Stitch counting signals when the shirt is complete. The thread is trimmed and the garment is stacked and counted.

The completely automatic unit allows the operator to load the second unit during the sewing cycle.

- Video Tape Available FREE Upon Request -

Call the "Sudden Service" Company for more information on all your folder and attachment needs.

Atlanta Attachment Company
401 Industrial Park Drive • Lawrenceville, GA 30245
(404) 963-7369 • Fax (404) 963-7641

Atlanta Attachment International 2007 NW 79th Avenue • Miami, FL 33122 (305) 559-2611 • Fax (305) 559-2566

Model 1278-6

Automatic Rib Knit Bottom Band Setting Station

Description:


An automatic workstation for setting bottom bands on sweaters, sweat shirts, etc. This unit incorporates a cylinder arm overlock sewing head with vacuum thread trimmer, electronic controls, automatic guidance and pneumatic expansion rollers and automatic stacker.


Operation:

A circular rib knit band is folded in half and loaded over the expansion rollers. The tubular body is then loaded on top of the band and the operator depresses the start button. The rollers expand and the stepping motor driven puller automatically moves the parts for positioning under the presser foot. The foot drops and sewing begins. Sew continues until a pre-set number of stitches are counted. The thread chain is then cut and the completed part is automatically stacked. The operator is free to load a second machine during the sew cycle. This unit includes an automatic piece counter for pacing production.

Machine Class:

Yamato AZ8403





Video tape available FREE upon request

Call The "Sudden Service" Company for more information and all your folder and attachment needs.

ATLANTA ATTACHMENT COMPANY

401 Industrial Park Drive / Lawrenceville, GA 30245 (404) 963-7369 FAX (404) 963-7641

ATLANTA ATTACHMENT INTERNATIONAL

Atlanta Attachment Company

BUFFILEBS

- Constant Rufflers
- Intermittent Rufflers
- Sandwich Rufflers
- Top Rufflers
- Bottom Rufflers
- Double Blade Rufflers
- Top and Bottom Rufflers
- Edge-To-Edge Rufflers
- Top Stitch Rufflers

- For -Almost Any Machine

- Single Needle
- Double Needle
- Multi-Needle
- Lockstitch
- Chainstitch
- Overlock
- Safety Stitch
- Zig-Zag, etc.

SEND SEWN SAMPLE OR SKETCH OF SEAM TO RECEIVE A QUOTE ON PRICE AND DELIVERY.

ADVISE MACHINE CLASS.





Call The "Sudden Service" Company for more information and all your folder and attachment needs.

ATLANTA ATTACHMENT COMPANY

401 Industrial Park Drive / Lawrenceville, GA 30245 (404) 963-7369 FAX (404) 963-7641

ATLANTA ATTACHMENT INTERNATIONAL

HIGH SPEED INTERMITTENT RUFFLERS

-132521 Intermittent **Ruffling for** sleeve setting "Y" = Safety Stitch

> -132522 Edge to edge ruffling

-132531 **Ruffling lace** between two plys "SANDWICH RUFFLER" "Y" = Safety Stitch "DY" = Diff Feed

-132534 Lace between two ply collar and inserting cord and piping "Y" = Safety Stitch "DY" = Diff Feed

-132535 Cord piping and binding

> -132536 Intermittent ruffling and binding

-132537 Intermittent ruffling and binding

-132538 Intermittent lace ruffling and binding

-132539 Ballerina Ruffler





-132544 Three piece topstitch (yoke) ruffler







-132545 Three piece topstitch ruffler










-132548 Cuffer ruffler









-132549 Intermittent ruffling on top of garment (suspended)









-132550 Rhumba ruffler









-132551 Zig-Zag ruffler (ruffle on the right)









-132552 Suspended ruffler









-132556B Two needle ruffling (on plain machine)









-132559 Can Can (suspended binder, left side ruffler)








collars and small parts



4500 RPM vs 2000 RPM





Ruffling blade lifter for easier loading of the ply to be ruffled

Call The "Sudden Service" ® Company for more information and all your folder and attachment needs.

ATLANTA ATTACHMENT COMPANY

401 Industrial Park Drive / Lawrenceville, GA 30245 (404) 963-7369 FAX (404) 963-7641

ATLANTA ATTACHMENT INTERNATIONAL


2007 NW 79th Ave. / Miami, FL 33122 (305) 559-2611 FAX (305) 559-2566


+

SEWING ELASTIC IN SWEAT PANT LEGS ?? AUTOMATIC CUT APART

Our Model 1535E/1536 is ergonomically designed for either stand up or sit down operation with pneumatic bundle clamp so bundles may be tied or loose. Automatic cut apart eliminates costly pull back and manual cut apart. Model 1536 features automatic start / stop eliminating waste.







- DOCUMENTED PRODUCTION OVER 250 DOZEN PAIR IN 8 HOURS
- MODEL 1536 OFFERS AUTOMATIC START/STOP ENSURING CONSISTENT ELASTIC TRIM ELIMINATING WASTE
- # SAVE ELASTIC
- SIMPLE ELECTRIC EYE CONTROL

Video tape available FREE upon request

Call The "Sudden Service" Company for more information and all your folder and attachment needs.

ATLANTA ATTACHMENT COMPANY

401 Industrial Park Drive / Lawrenceville, GA 30245 (404) 963-7369 FAX (404) 963-7641

ATLANTA ATTACHMENT INTERNATIONAL

MODEL 1535E / 1536

AUTOMATIC CUT APART ATTACHMENT


DESCRIPTION:


An electro-pneumatic device consisting of a variable speed puller, an impact type cutter controlled by a single retro reflective eye, and a belt conveyor positioned to the side of the presser foot. This unit is designed to automatically cut raw rubber or narrow elastic between garment parts such as sweat pant legs.

OPERATION:

The operator presents the material through a downturn hemmer and under the presser foot and depresses the machine treadle to sew. Each successive part is sewn with minimal gap to reduce elastic or rubber waste. The variable speed puller runs faster than the sewing speed and creates a larger gap. The retro reflective eye senses the leading edge of each part and automatically cycles the impact cutter to separate the parts. The side conveyor carries the leading edge to the puller and prevents the gathered material from jamming.

MACHINE CLASS: Most industrial machines










Video tape available FREE upon request

Call The "Sudden Service" Company for more information and all your folder and attachment needs.

ATLANTA ATTACHMENT COMPANY 401 Industrial Park Drive / Lawrenceville, GA 30245 (404) 963-7369 FAX (404) 963-7641 ATLANTA ATTACHMENT INTERNATIONAL 2007 NW 79th Ave. / Miami, FL 33122 (305) 559-2611 FAX (305) 559-2566

Pockets Pockets making you sweat?

- * Hooded Sweat shirts
- * Tubular knit shorts
- * Sweat Pants
- Placket Front Shirts
- Back pocket on wovens with welt



Programmable
Center Knife Gauge
Set retrofits to all two
needle Lockstitch
machines in about one
hour.

Completely Automatic when machine is equipped with electronic motor, Back Tack, and stitch count. Welt Guides may be added as required.

Video tape available FREE upon request

Call The "Sudden Service" Company for more information and all your folder and attachment needs.

ATLANTA ATTACHMENT COMPANY

401 Industrial Park Drive / Lawrenceville, GA 30245 (404) 963-7369 FAX (404) 963-7641

ATLANTA ATTACHMENT INTERNATIONAL

MODEL 1800P

Center Knife Gauge Set

DESCRIPTION:

A retrofit Gauge Set with movable center knife to facilitate the cutting of pocket opening in panel and pocketing material. Knife begins to cut in front of sewing stitches and ends cut before sewing ceases. This differential in sew length versus cut length may be changed as desired.

OPERATION:

The Operator places and pocketing material under presser foot, presses sewing treadle to begin sew cycle, the knife automatically shifts to the rear position after the beginning back tack is completed. The knife is reset to the front position upon completion of the finish back tack thread trim and footlift. A machine equipped with stitch count capability will allow the operator to press the treadle once to complete the cycle automatically.

MACHINE CLASS: Juki - 1152 & 1178

Juki - 1152 & 1178 Brother - LT2B832 & LT2B842 Mitsubishi - LT2-230 & LT2-2230 Pfaff - 442 & 1442 Durkopp - 244

1/4" - 5/16" - 3/8" - Specials on request




WOVEN SHORT PANTS BACK POCKET

KNIT OR WOVEN JACKETS



PLACKET FRONT KNIT SHIRT



1/4 GA. w/ 3/32 Differential Illustrated Seam and Cut Diagram.

Differential between seam and cut as desired.



SWEAT PANTS



KNIT SHORTS

Video tape available FREE upon request

Call The "Sudden Service" © Company for more information and all your folder and attachment needs.


ATLANTA ATTACHMENT COMPANY


401 Industrial Park Drive / Lawrenceville, GA 30245 (404) 963-7369 FAX (404) 963-7641

ATLANTA ATTACHMENT INTERNATIONAL


TRIM YOUR COST WITH OUR MULTI NEEDLE UNDERTRIMMER

RETROFITS TO MOST CHAINSTITCH MACHINES UP TO 25 NEEDLES






The Model 1904 Undertrimmer can be adapted to machines with almost any type folder, such as hemmers, banders, etc. The unit is particularly effective on circular operations.



Model 1904

This electronically controlled pneumatic operated knife includes an automatic footlift, an electronic motor for needle positioning and will not effect the normal operation of the sewing machine.



Video tape available FREE upon request

Call The "Sudden Service"® Company for more information and all your folder and attachment needs.

ATLANTA ATTACHMENT COMPANY

401 Industrial Park Drive / Lawrenceville, GA 30245 (404) 963-7369 FAX (404) 963-7641

ATLANTA ATTACHMENT INTERNATIONAL

MODEL 1904

MULTI NEEDLE UNDERTRIMMER

US AND FOREIGN PATENTS APPLY

DESCRIPTION: An electronically controlled pneumatic operated knife which includes an

automatic footlift and an electronic motor for needle positioning. This unit is designed to cut both needle and looper threads and is available for retrofit to most industrial 401 chainstitch machines up to 25 needles and any gauge.


OPERATION: At the end of each sewing cycle, the operator heels the sew treadle to position

the needle up, lift the presser foot and puller, and actuate the trimmer to cut

the threads. The sewn piece can then be removed. The Model 1904

undertrimmer will not effect the normal operation of the sewing machine.


MACHINE CLASS: Most industrial multi needle machines.



CIRCULAR BANDS



TOPSTITCHING



Video tape available FREE upon request

Call The "Sudden Service" Company for more information and all your folder and attachment needs.

ATLANTA ATTACHMENT COMPANY


401 Industrial Park Drive / Lawrenceville, GA 30245 (404) 963-7369 FAX (404) 963-7641

ATLANTA ATTACHMENT INTERNATIONAL

Pocket the Savings!

Automatic
Set-In Pocket Workstation
Sweat Pants and Knit Shorts

- Automatic parts transfer
- Automatic sizing
- Automatic undertrimming
- Automatic stacking
- Quality pockets
- Simultaneous loading & sewing



Estimated production 4250 Pockets per 8-hour day.



MODEL 3800P (patented U.S. - foreign patents pending)

An operator lays the garment panel and pocket to laser light indicators and presses the start button.

Parts are transferred, sewn, stacked and counted automatically, allowing the next pieces to be laid up during the sewing cycle.

Once started, the machine continues to operate at maximum rate of production until the operator fails to load the next panel.

- Video Tape Available FREE Upon Request -

Call the "Sudden Service" Company for more information on all your folder and attachment needs.

Atlanta Attachment Company
401 Industrial Park Drive • Lawrenceville, GA 30245
(404) 963-7369 • Fax (404) 963-7641

Atlanta Attachment International 2007 NW 79th Avenue • Miami, FL 33122 (305) 559-2611 • Fax (305) 559-2566

Model 3800P

Automatic Set-In Pocket Workstation

An automatic station consisting of two-needle lockstitch sewing head Description:

with undertrimmer and programmable center knife gauge set. This unit features electronic controls and automatic garment transfer which

allows simultaneous loading and sewing.

The part to be sewn, leg panel, shirt front, etc., is laid up and positioned Operation:

to laser target lights. The pocketing is then laid on top of the panel and positioned to another set of lights. Depressing the start switch energizes the automatic cycle which transfers the parts to the sewing machine. The parts are then sewn, the thread is trimmed and the completed panel

is stacked. The operator loads subsequent pieces during the sew cycle.

Machine Class: Mitsubishi LT2-2230, Juki 1152



Knit or Woven Jackets





Sweat Pants



Placket Front Knit Shirt

1/4 GA, w/ 3/32 Differential Illustrated Seam and Cut Diagram. Differential between seam and cut as desired

Video tape available FREE upon request

Call The "Sudden Service" Company for more information and all your folder and attachment needs.

ATLANTA ATTACHMENT COMPANY

401 Industrial Park Drive / Lawrenceville. GA 30245 (404) 963-7369 FAX (404) 963-7641

ATLANTA ATTACHMENT INTERNATIONAL


CIRCULAR COLLAR ATTACHMENT

CONSISTENT SIZE AND EDGE CONTROL MADE EASY




The Circular Guiding Attachment makes the collar and the waistband operations easier and faster. Models are available for rib-knit and elastic.





Model 1279

For Knit Circular Collars.



Model 1279HD

For Serging Elastic Loop to Waistband or Rib Knit to Shirt Bottoms.


Call The "Sudden Service" © Company for more information and all your folder and attachment needs.

ATLANTA ATTACHMENT COMPANY

401 Industrial Park Drive / Lawrenceville, GA 30245 (404) 963-7369 FAX (404) 963-7641

ATLANTA ATTACHMENT INTERNATIONAL

The People who make "Sudden Service" possible



manufacture the Quality Products you need we renew our commitment to continue our policy of "Sudden Service" as we design and We at Atlanta Attachment Company appreciate the trust you have placed in our company and

Yours truly,

Elvin C. Price,

Chairman & C.E.O.

Atlanta Attachment Company, 401 Industrial Park Drive, Lawrenceville, Georgia 30245, Phone: (404) 963-7369 / FAX: (404) 963-7641

Notes

Call The "Sudden Service" Company for more information and all your folder and attachment needs.

To Atlanta Attachment from Atlanta Hartsfield Airport by Car

Take I-85 North; go approximately 40 miles and turn right on Exit 41, Hwy. 316. Go to second traffic light on 316 and turn right on Hwy. 20. Go to first traffic light and turn left on Hurricane Shoals Road. Go to first street on right and turn right on Hosea Road. Atlanta Attachment is located on the right at the corner of Hosea Road and Industrial Park Drive.

To Atlanta Attachment or to Apartment Inn in Lawrenceville from Atlanta Hartsfield Airport by Public Transportation

AAA Express, Inc. — 404-934-8003

Departs airport every hour between 7 A.M. and 5 P.M., every 30 minutes between 5:30 P.M. and 11:30 P.M.

Cost: One way fare: \$18.00 Round trip fare: \$30.00

Limo Service — Atlanta Corporate Connection — 404-962-1662

Will pick up at your gate Cost: One — \$65.00

To Atlanta Attachment from I-85 North

From I-85 North, take Exit 41, Hwy. 316, and go to second traffic light on 316 and turn right on Hwy. 20. Go to the next traffic light and turn left on Hurricane Shoals Road. Go to first street on right turn right on Hosea Road. Atlanta Attachment is located on the right at the corner of Hosea and Industrial Park Dr.

To Atlanta Attachment form I-20 East

From I-20, take Exit 46, Hwy. 142 North. Hwy. 142 will dead end on Hwy. 81 North. Turn right on Hwy. 81 North. Go to Hwy. 78 and turn left. Go to the next traffic light on Hwy. 78 and turn right on Hwy. 20 North. Follow Hwy. 20 into Lawrenceville. Turn right on Hwy. 124. Hwy. 124 will dead end on Hwy. 29. Turn right on Hwy. 29 and go approximately 1 mile and turn left on Hosea Road. Atlanta Attachment will be on the left at the corner of Hosea and Industrial Park Drive.

To the Apartment Inn from I-85 North


Take I-85 North toward Greenville, SC. Right on 316 toward Athens, then to second exit, Hwy. 120; turn right. Go through second traffic light. The Apartment Inn is located just behind Shoney's on the right.

To the Apartment Inn from I-20


Come into Lawrenceville on Pike Street. The town square courthouse will be on your left. Stay on Pike Street. The Apartment Inn is located on the left behind Shoney's Restaurant.

To Atlanta Attachment from the Apartment Inn

Turn left out of the parking lot. Then turn right at the first traffic light (Hurricane Shoals Rd.). Continue through second traffic light to the first road on your right (Hosea). Turn right on Hosea. Our facility is located on the corner of Hosea and Industrial Park Drive.



See Inside Back Cover For Detailed Map and Directions



ATLANTA ATTACHMENT COMPANY

401 Industrial Park Drive / Lawrenceville, GA 30245 (404) 963-7369 FAX (404) 963-7641

ATLANTA ATTACHMENT INTERNATIONAL